

## INDEX TO VOLUME 78

The Index for Volume 78 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

### SUBJECT INDEX

- 1-octen-3-ol, *Tricholoma inamoenum* 965-966  
 Acid soils *Acaulospora* 641-648  
 Adams P. B. see Fravel and Adams 684  
 Adams P. R. and J. J. Deploey. Early starch catabolism by *Rhizomucor pusillus*. 129-131  
 Adaskaveg, J. E. and R. L. Gilbertson. Cultural studies and genetics of sexuality of *Ganoderma lucidum* and *G. tsugae* in relation to the taxonomy of the *G. lucidum* complex. 694-705  
 Aflatoxin *Aspergillus* 98-101  
 Albers M. A. see Burdsall et al. 861  
 Aldrich, H. C. From taxonomy to biochemistry; odyssey of a myxomycetologist. 1-10  
 Alexander S. A. see Horner et al. 300  
 Alfenas A. C. see Hodges et al. 343  
 Allen M. F. see Ianson and Allen 164  
 Ammirati, J. F. and S. Libonati-Barnes. Daniel Elliot Stuntz, 1909-1983. 515-521  
 Amylase *Rhizomucor* 129-131  
 Anderson, J. B. Biological species of *Armillaria* in North America: redesignation of groups IV and VIII and enumeration of voucher strains for other groups. 837-839  
 Anon. Fungi of the Indian subcontinent: a collection of papers; review 980  
 Antifungal substances *Acremonium* 102-107  
 Aoki, T. and K. Tubaki. Cultural study of *Exidia repanda*, previously unreported from Japan. 877-887  
 Apothecia *Monilinia fructigena* 913-917  
 Appalachian mountains *Lactarius* 80-85  
 Aragaki M. see Uchida et al. 587  
 Armentrout, V. N., A. J. Downer and S. T. Nameth. A simplified branching assay for *Rhizoctonia solani*. 657-663  
 Arnott H. J. see Whitney and Arnott 649  
 Arnott H. see Whitney and Arnott 42  
 Aronson J. M. see Huizar and Aronson 489  
 Arrhenius, S. P. and J. H. Langenheim. The association of *Pestalotia* species with members of the leguminous tree genera *Hymenaea* and *Copaifera* in the neotropics. 673-676  
 Arx J. A. von see Guarro and Arx 869  
 ———. see Guarro et al. 969  
 Asci Ultrastructure in *Mycosphaerella* 202-211  
 Ascocarp Development in *Mycosphaerella* 202-211  
 Ultrastructure of in *Mycosphaerella* 202-211  
 Ascospore Ultrastructure in *Mycosphaerella* 202-211  
 formation in *Dekkera* 150-151  
 production in *Eupenicillium ochrosalmoneum* 248-251  
 Bakanae strains *Fusarium* 243-245  
 Balasubramanian, R. and M. S. Manocha. Proteinase, chitinase, and chitosanase activities in germinating spores of *Piptopezalis virginiana*. 157-163  
 Ballistospore discharge *Tilletia foetida* 371-378  
 Barr, D. J. S. *Allochytridium expansum* rediscovered: morphology, physiology and zoospore ultrastructure. 439-448  
 Barron, G. L. and E. Szijarto. A new species of *Olpidium* parasitic in nematode eggs. 972-975  
 Basidiospore formation in *Boletus rubinellus* 185-196  
 formation in *Ceratobasidium* 587-591  
 Batra, L. R. and Y. Harada. A field record of apothecia of *Monilinia fructigena* in Japan and its significance. 913-917  
 Bell, A. Dung fungi: an illustrated guide to coprophilous fungi in New Zealand; review 982  
 Bennett, W. E. A new species of *Protosporangium* (*Protostelida*, *Eumycetozoa*). 857-860  
 Benny G. L. see Gibson et al. 543  
 Benzaldehyde *Tricholoma inamoenum* 965-966  
 Berch, S. M. and M. A. Castellano. Sporulation of *Endogone pisiformis* in axenic and monoxenic culture. 292-295  
 Berch, S. M. and R. E. Koske. *Glomus pansihalos*, a new species in the *Endogonaceae*, *Zygomycetes*. 832-836  
 Bessette, A. E. and R. L. Homola. *Lentinus adhaerens*, a species new to North America. 296-298  
 Bills, G. F. Notes on *Lactarius* in the high-elevation forests of the southern Appalachians. 70-79  
 ———. Distribution of *Lactarius* in the high-elevation forests of the southern Appalachians. 80-85  
 Biofouling *Trichosporon cutaneum* 469-470  
 Biogeography *Lactarius* in southern Appalachians 80-85  
 Biological species *Cystostereum pini-canadense* 380-389  
 Black mildew fungi 269-286  
 Blackwell, M., T. J. Perry, J. R. Bridges and J. C. Moser. A new species of *Pyxidiphora* and its *Thaxteriella* anamorph. 605-612  
 Blackwell M. see Rossi and Blackwell 142  
 Blanchette R. A. see Cheng-guo et al. 960  
 Bloom J. see Daniels and Bloom 32  
 Boise, J. *Requienellaceae*, a new family of *Loculoascomycetes*. 37-41  
 Boucias D. G. see Pendland and Boucias 818  
 Bracker C. H. see Powell and Bracker 892  
 Brady B. L. see Lowen et al. 842  
 Braselton, J. P. and D. P. Dylewski. Karyotypic analysis of *Woronina pythii*. 511-513  
 Bridges J. R. see Blackwell et al. 605  
 Bruhn J. N. see Richter and Bruhn 139  
 Buben-Zurey M. J. see Keller et al. 432

## INDEX TO VOLUME 78

The Index for Volume 78 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

### SUBJECT INDEX

- 1-octen-3-ol, *Tricholoma inamoenum* 965-966  
 Acid soils *Acaulospora* 641-648  
 Adams P. B. see Fravel and Adams 684  
 Adams P. R. and J. J. Deploey. Early starch catabolism by *Rhizomucor pusillus*. 129-131  
 Adaskaveg, J. E. and R. L. Gilbertson. Cultural studies and genetics of sexuality of *Ganoderma lucidum* and *G. tsugae* in relation to the taxonomy of the *G. lucidum* complex. 694-705  
 Aflatoxin *Aspergillus* 98-101  
 Albers M. A. see Burdsall et al. 861  
 Aldrich, H. C. From taxonomy to biochemistry; odyssey of a myxomycetologist. 1-10  
 Alexander S. A. see Horner et al. 300  
 Alfenas A. C. see Hodges et al. 343  
 Allen M. F. see Ianson and Allen 164  
 Ammirati, J. F. and S. Libonati-Barnes. Daniel Elliot Stuntz, 1909-1983. 515-521  
 Amylase *Rhizomucor* 129-131  
 Anderson, J. B. Biological species of *Armillaria* in North America: redesignation of groups IV and VIII and enumeration of voucher strains for other groups. 837-839  
 Anon. Fungi of the Indian subcontinent: a collection of papers; review 980  
 Antifungal substances *Acremonium* 102-107  
 Aoki, T. and K. Tubaki. Cultural study of *Exidia repanda*, previously unreported from Japan. 877-887  
 Apothecia *Monilinia fructigena* 913-917  
 Appalachian mountains *Lactarius* 80-85  
 Aragaki M. see Uchida et al. 587  
 Armentrout, V. N., A. J. Downer and S. T. Nameth. A simplified branching assay for *Rhizoctonia solani*. 657-663  
 Arnott H. J. see Whitney and Arnott 649  
 Arnott H. see Whitney and Arnott 42  
 Aronson J. M. see Huizar and Aronson 489  
 Arrhenius, S. P. and J. H. Langenheim. The association of *Pestalotia* species with members of the leguminous tree genera *Hymenaea* and *Copaifera* in the neotropics. 673-676  
 Arx J. A. von see Guarro and Arx 869  
 ———. see Guarro et al. 969  
 Asci Ultrastructure in *Mycosphaerella* 202-211  
 Ascocarp Development in *Mycosphaerella* 202-211  
 Ultrastructure of in *Mycosphaerella* 202-211  
 Ascospore Ultrastructure in *Mycosphaerella* 202-211  
 formation in *Dekkera* 150-151  
 production in *Eupenicillium ochrosalmoneum* 248-251  
 Bakanae strains *Fusarium* 243-245  
 Balasubramanian, R. and M. S. Manocha. Proteinase, chitinase, and chitosanase activities in germinating spores of *Piptopezalis virginiana*. 157-163  
 Ballistospore discharge *Tilletia foetida* 371-378  
 Barr, D. J. S. *Allochytridium expansum* rediscovered: morphology, physiology and zoospore ultrastructure. 439-448  
 Barron, G. L. and E. Szijarto. A new species of *Olpidium* parasitic in nematode eggs. 972-975  
 Basidiospore formation in *Boletus rubinellus* 185-196  
 formation in *Ceratobasidium* 587-591  
 Batra, L. R. and Y. Harada. A field record of apothecia of *Monilinia fructigena* in Japan and its significance. 913-917  
 Bell, A. Dung fungi: an illustrated guide to coprophilous fungi in New Zealand; review 982  
 Bennett, W. E. A new species of *Protosporangium* (*Protostelida*, *Eumycetozoa*). 857-860  
 Benny G. L. see Gibson et al. 543  
 Benzaldehyde *Tricholoma inamoenum* 965-966  
 Berch, S. M. and M. A. Castellano. Sporulation of *Endogone pisiformis* in axenic and monoxenic culture. 292-295  
 Berch, S. M. and R. E. Koske. *Glomus pansihalos*, a new species in the *Endogonaceae*, *Zygomycetes*. 832-836  
 Bessette, A. E. and R. L. Homola. *Lentinus adhaerens*, a species new to North America. 296-298  
 Bills, G. F. Notes on *Lactarius* in the high-elevation forests of the southern Appalachians. 70-79  
 ———. Distribution of *Lactarius* in the high-elevation forests of the southern Appalachians. 80-85  
 Biofouling *Trichosporon cutaneum* 469-470  
 Biogeography *Lactarius* in southern Appalachians 80-85  
 Biological species *Cystostereum pini-canadense* 380-389  
 Black mildew fungi 269-286  
 Blackwell, M., T. J. Perry, J. R. Bridges and J. C. Moser. A new species of *Pyxidiphora* and its *Thaxteriella* anamorph. 605-612  
 Blackwell M. see Rossi and Blackwell 142  
 Blanchette R. A. see Cheng-guo et al. 960  
 Bloom J. see Daniels and Bloom 32  
 Boise, J. *Requienellaceae*, a new family of *Loculoascomycetes*. 37-41  
 Boucias D. G. see Pendland and Boucias 818  
 Bracker C. H. see Powell and Bracker 892  
 Brady B. L. see Lowen et al. 842  
 Braselton, J. P. and D. P. Dylewski. Karyotypic analysis of *Woronina pythii*. 511-513  
 Bridges J. R. see Blackwell et al. 605  
 Bruhn J. N. see Richter and Bruhn 139  
 Buben-Zurey M. J. see Keller et al. 432

- Burdsall, H. H., Jr., J. S. MacFall and M. A. Albers. *Hebeloma arenosa* (Agaricales, Cortinariaceae), a new species from lake states nurseries. 861-865
- Burgess, L. W. and D. Trimboli. Characterization and distribution of *Fusarium nygamai*, sp. nov. 223-229
- Butler, S. K. and K. Suberkropp. Aquatic Hyphomycetes on oak leaves: comparison of growth, degradation and palatability. 922-928
- Calcium oxalate *Gastrum saccatum* 649-655  
Gilbertella 42-51
- Callan B. E. see Rogers and Callan 391
- Carris, L. M., D. A. Glawe and L. E. Gray. Isolation of the soybean pathogens *Corynespora cassiicola* and *Phialophora gregata* from cysts of *Heterodera glycines* in Illinois. 503-506
- Castellano M. A. see Berch and Castellano 292
- , see Trappe and Castellano 918
- Catabolite repression of cellulase in *Ischnoderma* 52-55
- Cavalcanti W. A. see Upadhyay et al. 493
- Cavender, J. C. and C. Hopka. Distribution patterns of Ohio soil Dictyostelids in relation to physiography. 825-831
- Cavender, J. C. and T. N. Lakhanpal. Distribution of dictyostelid cellular slime molds in forest soils of India. 56-65
- Cell walls composition in *Ceratocystis* 300-303  
composition in *Ophiostoma ulmi* 302-303  
composition in *Verticillium dactyloides* 301-303  
used in taxonomy of *Verticillium* 301-303
- Cellular slime molds distribution of in soils of India 56-65
- Cellulase production of in *Ischnoderma* 52-55
- Cellulases *Aureobasidium* 804-808
- Cellulose degradation *Aureobasidium* 804-808
- Chamuris, G. P. The *Cystostereum pini-canadense* complex in North America. 380-390
- Change in mating type by chemicals *Phytophthora* 134-136
- Chapman S. W. see Mitchel et al. 66
- Chemotropism *Schizophyllum commune* hyphae and spores 762-765
- Cheng-guo, W., R. A. Blanchette and M. A. Palmer. Ultrastructural aspects of the conidium cell wall of *Sphaeropsis sapinea*. 960-963
- Chien C.-Y. see Wong and Chien 713
- Chihuahuan Desert *Carbomyces* emergens 840-841
- Chitin synthase *Leptomitaceae* 489-492
- Chitin localization in *Wangiella dermatitidis* 853-856
- Chitinase production by *Piptoccephalis* 157-162
- Chitosanase production by *Piptoccephalis* 157-162
- Chlamydozoospores in *Harpellales* 214-222
- Christensen M. see Tuthill and Christensen 475
- Chromogenic lipid substrates 298-300
- Clark J. see Hu and Clark 478
- Clark, W. H. and D. C. Prusso. *Desmidiospora myrmecophila* found infesting the ant *Camponotus semitestaceus*. 865-866
- Cobb F. W. see Harrington and Cobb 562
- Cole G. T. see White and Cole 102
- Conidia *Sphaeropsis sapinea* 960-962
- Cooke, W. B. The 1981 Indiana foray. 321-323
- Cooper M. O. see Ellzey et al. 313
- Coprophilus fungi *Ascodesmus* 198-200
- Corden M. E. see Kropp and Corden 334
- Corn *Eupenicillium ochrosalmoneum* 248-251
- Cotton seed mycoflora 706
- Crane, J. L. and J. D. Schoknecht. Revision of *Torula* and *Hormiscium* species, new names for *Hormiscium undulatum*, *Torula equina*, and *Torula convolvuli*. 86-91
- Crystals calcium oxalate in *Gilbertella* 42-51
- Culberson, C. F., W. L. Culberson and A. Johnson. Two new lichen products, elatinic acid and methyl barbatate, from the genus *Haematomma* (*Ascomycotina*, *Haematommataceae*). 888-891
- Culberson W. L. see Culberson et al. 888
- Cultural characteristics *Acremonium* 102-107
- Cystostereum pini-canadense* 380-389
- Exidia repanda* 877-887
- Currah, R. A new species of *Ascodesmus* from Alberta. 198-201
- Curry K. J. see Kimbrough and Curry 735
- Cytochemistry *Glaziella aurantiaca* 941-954
- Phytophthora palmivora* 892-899
- proteins in *Bipolaris* 304-306
- DNA complementarity *Rhizopus microsporus* group 508-510
- DNA content *Armillaria bulbosa* 967-968
- Armillaria bulbosa* and *Armillaria mellea* 963-964
- DNA relatedness in *Aspergillus flavus* group 955-958
- Daniels Hetrick, B. A. and J. Bloom. The influence of host plant on production and colonization ability of vesicular-arbuscular mycorrhizal spores. 32-36
- Davis R. E. see Mayo et al. 426
- De Hann, A. *Icones Mycologicae*, Nos 75-92 (15.09.1985), plates and descriptions of *Galerina* species; review 982
- DeHoog, G. S. Ed. Taxonomy of the *Dactylaria* complex, IV-VI.; review 978
- Decomposition *Acer* leaves by fungi 114-126
- Degradation oak leaves by aquatic hyphomycetes 922-927
- Deploey J. J. see Adams and Deploey 129
- Descals E. see Moss and Descals 213
- Development *Allochytridium expansum* 439-448
- Clastoderma debaryanum* 263-268
- Cryptonectria cubensis* 343-349
- Endogone pisiformis* zygozoospores 543-552
- Endothia eugeniae* 343-349
- Lagenidium giganteum* zoospore 810-817
- Pachnocybe ferruginea* 334-342
- Pseudopeziza trifolii* f. sp. *medicaginis-sativae* 529-541
- Pseudorobillarda sojae* 449-453
- Sommerstorffia spinosa* 554-561
- Stylopaga rhabdospora* 309-312
- ascostromata of *Eupenicillium ochrosalmoneum* 248-251
- cleistothecia of *Monascus purpureus* 713-721
- conidia of *Monascus* 593-599
- spores in *Glaziella aurantiaca* 941-954
- zoospores of *Phytophthora palmivora* 892-899

- Dictyostelids distribution of in soils of India 56-65
- Diehle, D. A. and D. J. Royse. Shiitake cultivation on sawdust: Evaluation of selected genotypes for biological efficiency and mushroom size. 929-933
- Distribution *Aspergillus* in Georgia 98-101
- Fusarium nygamai* 223-229
- Laboulbenis on termites 145
- Lactarius in southern Appalachians 80-85
- Myxomycetes in snowbanks 66-69
- Talaromyces flavus* 684-686
- cellular slime molds in India 56-65
- cellular slime molds in Virginia 500-502
- soil dictyostelids in Ohio 825-830
- Domnas, A., S. Jaronski and W. K. Hanton. The zoospore and flagellar mastigonemes of *Lagenidium giganteum* (Oomycetes, Lagenidiales). 810-817
- Dormancy *Phytophthora* 148-150
- Downer A. J. see Armentrout et al. 657
- Dykstra, M. J., E. J. Noga, J. F. Levine and D. W. Moye. Characterization of the *Aphanomyces* species involved with ulcerative mycosis (UM) in menhaden. 664-672
- Dylewski D. P. see Braselton and Dylewski 511
- Eboh, D. O. A taxonomic survey of Nigerian rust fungi: *Uredinales Nigerianensis*. IV. 577-586
- Ectomycorrhizae *Juniperus* 110-111
- Martellia medlockii* 918-921
- Neocudoniella radicea* 934-940
- Scleroderma* with *Pinus* 139-142
- Egger, K. N. Substrate hydrolysis patterns of post-fire Ascomycetes (Pezizales). 771-780
- Ellis, J. J. Species and varieties in the *Rhizopus* microsporus group as indicated by their DNA complementarity. 508-510
- Ellzey, J. T., T. L. Hammons and M. O. Cooper. An ultrastructural study of membrane-bounded particles within hypovirulent strains of *Endothia* (Cryphonectria) parasitica. 313-315
- Emmons C. W. obituary 687-691
- Endoparas. e 230-240
- Endophyte *Acremonium coenophialum* 781-785
- Endophytes in forage grasses 846-849
- Esslinger, T. L. Studies in the lichen family Physciaceae. VII. The new genus *Physciella*. 92-97
- Evans, R. C. and H. Stempen. Cytochemical localization of protein using Kodavue reagents. 304-306
- Evolution phenoloxidases in Basidiomycetes 169-183
- Extraction techniques mycorrhizal spores in soil 164-167
- Farr, M. L. Amazonian Foliicolous fungi. II. Deuteromycotina. 269-286
- Farr M. L. see Mitchell et al. 66
- Fatty acids *Agaricus bisporus* 722-726
- Ferreira, F. A. and J. F. Hennen. The life cycle, pathology, and taxonomy of the rust, *Prospodium bicolor* sp. nov., on yellow ipe, *Tabebuia serratifolia*, in Brazil. 795-803
- Ferreira F. A. see Hodges et al. 343
- Flower-bud chloranth 253-261
- Fluorescent staining *Neurospora* sp. 901-906
- Fly speck fungi 269-286
- Fravel, D. R. and P. B. Adams. Estimation of United States and world distribution of *Talaromyces flavus*. 684-686
- Frederick, L., I. L. Roth and L. Pendergrass. Observations on the "peridial platelets" of *Cladoderma debaryanum*. 263-268
- Gardner, D. E. and C. S. Hodges. Hawaiian forest fungi. VII. A new species of *Elsinoe* on native *Vaccinium*. 506-508
- Garrido, N. Index *Agaricalium Chilensium*; review 978
- Gibson, J. L., J. W. Kimbrough and G. L. Benny. Ultrastructural observations on *Endogonaceae* (Zygomycetes): *Endogone pisiformis*. 543-553
- . Ultrastructural observations on *Endogonaceae* (Zygomycetes). II. *Glaziellales* ord. nov. and *Glaziellaceae* fam. nov.: New taxa based upon light and electron microscopic observations of *Glaziella aurantiaca*. 941-954
- Gilbertson, R. L. and L. Ryvarden. North American Polypores; review 873
- Gilbertson R. L. see Adaskaveg and Gilbertson 694
- Gilbon, A., C. Huitron, F. Gonzalez Farias and M. Ulloa. Scanning electron microscopy of a true cellulolytic strain of *Aureobasidium* grown on crystalline cellulose. 804-809
- Ginns, J. The genus *Syzygospora* (Heterobasidiomycetes: Syzygosporaceae). 619-636. [Review of] North American Polypores. 873
- Glawe D. A. see Carris et al. 503
- Goates, B. J. and J. A. Hoffmann. Formation and discharge of secondary sporidia of the bunt fungus, *Tilletia foetida*. 371-379
- Gonzalez Farias F. see Gilbertson et al. 804
- Goos, R. D. A review of the anamorph genus *Heliocoma*. 744-761
- . [Review of] Taxonomy of the *Dactylaria* complex, IV-VI. 978
- . [Review of] A monograph of *Stilbella* and some allied *Hyphomycetes*. 980
- Goos, R. and K. J. Kwon-Chung. Chester Wilson Emmons, 1900-1985. 687-691
- Gray L. E. see Carris et al. 503
- Grund D. W. see Marr et al. 169
- Guarro, J. and J. A. von Arx. *Monascella*, a new genus of Ascomycota. 869-871
- Guarro, J., L. Punsola and J. A. von Arx. *Hormographis ramirezii*, a new keratinophilic fungus from Spanish soils. 969-971
- Gulden, G., K. M. Jensen and J. Stordal. Arctic and Alpine fungi; review 872
- Hammons T. L. see Ellzey et al. 313
- Hanton W. K. see Domnas et al. 810
- Harada Y. see Batra and Harada 913
- Harrington, T. C. and F. W. Cobb. Varieties of *Verticillium dactyloides*. 562-567
- Harris, J. L. and P. J. Szanislo. Localization of chitin in walls of *Wangiella dermatitidis* using colloidal gold-labeled chitinase. 853-857
- Harrison K. A. see Marr et al. 169
- Haskins, E. F. and M. D. McGuinness. The occurrence

- of synaptonemal complexes in the slime mold *Semimorula liquescens*. 146-147
- . Comparative ultrastructural observations of spore wall structure in six species of *Echinostelium* and three species of *Eumycetozoa*. 613-618
- Hawksworth D. L. see Lowen et al. 842
- Heat shock Phytophthora 148-150
- Hemagglutinins entomogenous Hyphomycetes 818-823
- Hennen J. F. see Ferreira and Hennen 795
- Heslin, M. C. The association of *Telephora terrestris* with *Arbutus* x *Andrachnoides*. 683-684
- Heterokaryon incompatibility *Aspergillus* 98-101
- Heterothallism *Phytophthora megasperma* 306-308
- Hetrick B. A. D. see Zajicek and Hetrick 316
- Hiratsuka, Y. Cytology of an autoecious soft pine blight rust (*Peridermium yamabense*) in Japan. 637-640
- Histology *Acremonium* in *Festuca* 102-107
- mycorrhizae of *Juniperus* 110
- Ho, H. H. Notes on the heterothallic behavior of *Phytophthora megasperma* from alfalfa. 306-309
- . *Phytophthora melonis* and *P. sinensis* synonymy with *P. dreschleri*. 907-912
- Hodges, C. S., Jr., A. C. Alfenas and F. A. Ferreira. The conspecificity of *Cryphonectria cubensis* and *Endothia eugeniae*. 343-350
- Hodges C. S. see Gardner and Hodges 506
- Hoffmann J. A. see Goates and Hoffmann 371
- Holm, L. Ian Axel Nannfeldt, 1904-1985. 692-693
- Holtz, R. B. and L. C. Schisler. Utilization of fatty acids by *Agaricus bisporus* in commercial culture. 722-727
- Homola R. L. see Bessette and Homola 296
- Hopka C. see Cavender and Hopka 825
- Hormones *Phytophthora* 134-136
- Horn, B. W. and D. T. Wicklow. Ripening of *Eupenicillium ochrosalmoneum* ascostromata on soil. 248-252
- Horner, W. E., S. A. Alexander and M. M. Julian. Qualitative determination of cellulose in the cell walls of *Verticillium dactyloides*. 300-303
- Hoshino J. see Saikawa and Hoshino 554
- Host fungus interactions *Glomus* 32-35
- Hu, F.-S. and J. Clark. Axenic culture of the myxomycete *Stemonitis flavogenita*. 478-482
- Hughes, G. C. [Review of] *Dung fungi*: an illustrated guide to coprophilous fungi in New Zealand. 982
- . [Review of] *Icones Mycologicae*, Nos 75-92 (15.09.1985), plates and descriptions of *Galerina* species. 982
- . [Review of] *Icones mycologicae*, nos, 93-110 (15.09.85), plates and descriptions of various species. 982
- Huitron C. see Gilbon et al. 804
- Huizar, H. E. and J. M. Aronson. Aspects of cellulin deposition and chitin biosynthesis in the *Lepidoglyphus*. 489-492
- Hybridization *Phytophthora megasperma* 306-308
- Hydrolase *Pezizales* 771-779
- Hyphal growth unit *Rhizoctonia solani* 657-662
- Hypovirulence *Endothia parasitica* 313-315
- Ianson, D. C. and M. F. Allen. The effects of soil texture on extraction of vesicular-arbuscular mycorrhizal fungal spores from arid sites. 164-168
- Imler, L. and J. Rammeloo. *Icones mycologicae*, nos, 93-110 (15.09.85), plates and descriptions of various species; review 982
- Incompatibility *Ganoderma* 694-704
- India distribution of cellular slime molds 56-65
- Interfertility *Ganoderma* 694-704
- Isozymes *Betisia alvei* 676-677
- Microascus exsertus* 676-677
- Jaronski S. see Domnas et al. 810
- Jenssen K. M. see Gulden et al. 872, Johnson A. see Culbertson et al. 888
- Jong S.-C. see Lee and Jong 150
- Julian M. M. see Horner et al. 300
- Kakishima M. see Ono et al. 253
- Karyotypic analysis *Woronina pythii* 511-512
- Kellam, M. K. and G. A. Zentmyer. Comparisons of single-oospore isolates of *Phytophthora* species from naturally infected cocoa pods in Brazil. 351-358
- Keller, H. W., K. D. Whitney and M. J. Buben-Zurey. Corticolous myxomycetes. IX. Two species of *Arcyria*, one new, one old. 432-438
- Kennedy C. K. see Kwon-Chung and Kennedy 287
- Keratinophilic fungi in spanish soil 969-971
- Key Heiloma 745-760
- Hypsizygus* 526-527
- Physciella* 93-94
- Prosopidium* on *Tabebuia* 801-802
- Puccinia* on *Polemoniaceae* 454-455
- Syzygospora* 625
- Xylaria* 399-400
- dictyostelids in India 59
- Killer strains *Cryptococcus laurentii* 287-288
- Killer toxins *Cryptococcus laurentii* 287-288
- Kimbrough, J. W. and K. J. Curry. Septal structures in apothecial tissues of the tribe *Aleurieae* in the *Pyronemataceae* (*Pezizales*, *Ascomycetes*). 407-417
- . Septal structures in apothecial tissues of taxa in the tribes *Scutellinieae* and *Sowerbyelleae* (*Pyronemataceae*, *Pezizales*, *Ascomycetes*). 735-743
- Kimbrough J. W. see Gibson et al. 543
- Kish L. P. see Maghrabi and Kish 676
- Klich, M. A. Mycoflora of cotton seed from the southern United States: a three year study of distribution and frequency. 706-712
- Ko, W. H., C. J. Lee and H. J. Su. Chemical regulation of mating type in *Phytophthora parasitica*. 124-136
- Kohlmeier Jan and B. P. R. Vittal. *Lophiostoma mangrovia*, a new marine *Ascomycete* from the tropics. 485-489
- Kohn, L. M., R. Summerbell and D. W. Malloch. A new inoperculate discomycete associated with roots of *Picea*. 934-940
- Korf, R. P. [Review of] *Fungi of the Indian subcontinent: a collection of papers*. 980



- . [Review of] Fungal morphology and ecology - mostly scanning electron microscopy. 981
- Korhonen K. see Motta and Korhonen 471
- Koske R. E. see Berch and Koske 832
- Kropp, B. R. and M. E. Corden. Morphology and taxonomy of *Pachnocybe ferruginea*. 334-342
- Kudo A. see Ono et al. 253
- Kulik M. M. see Uecker and Kulik 449
- Kulkarni, R. K. and B. D. Nielsen. Nutritional requirements for growth of a fungus endophyte of tall fescue grass. 781-786
- Kurtzman, C. P., M. J. Smiley, C. J. Robnett and D. T. Wicklow. DNA relatedness among wild and domesticated species in the *Aspergillus flavus* group. 955-959
- Kuter, G. A. Microfungal populations associated with the decomposition of sugar maple leaf litter. 114-126
- Kwon-Chung, K. J. and C. K. Kennedy. Intra-genetic effect of killer toxin produced by *Cryptococcus laurentii*. 287-289
- Kwon-Chung K. J. see Goos and Kwon-Chung 687
- Kyde, M. M. and J. L. Peterson. A variant of *Lepiota cristata*. 851-853
- Laccase occurrence of in Basidiomycetes 169-183
- Lakhanpal T. N. see Cavender and Lakhanpal 56
- Landolt, J. C. and S. L. Stephenson. Cellular slime molds in forest soils of southwestern Virginia. 500-502
- Langenheim J. H. see Arrhenius and Langenheim 673
- Langsam, D. M. *Achiya bispora*: a taxonomic reassessment of *Brevilegnia bispora*. 600-604
- Largent, D. L. and O. K. Miller, Jr. A new species of *Nolanea* with quadrate basidiospores. 136-138
- Largent, D. L. and R. Watling. A new species of *Alboleptonia* from Scotland. 132-133
- Largent D. L. see Watson et al. 965
- Lawrey, D. Biology of lichenized fungi; review 872
- Leaf litter decomposition of *Acer* by fungi 114-126
- Lectins fluorescently labeled in entomogenous Hyphomycetes 818-823
- Lee C. J. see Ko et al. 134
- Lee, F.-L. and Jong S.-m. . The new species *Dekkera abstinens*, the teleomorph of *Brettanomyces abstinens*. 150-151
- Lee, Y.-B. and T. Majewski. Three new species of Laboulbeniales (Ascomycetes) from Malaysia. 401-406
- Lee, Y.-B. and K. Sugiyama. On a new genus of the Laboulbeniales: *Majewskia*. 289-292
- Leslie, J. F. Utilization of nitrogen sources by *Gibberella zeae*. 568-576
- Levine J. F. see Dykstra et al. 664
- Libonati-Barnes S. see Ammirati and Libonati-Barnes 515
- Lichen chemistry *Haematomma* 888-891
- Lichenicolous fungi *Hobsonia* 842-846
- Lim G. see Yeoh et al. 298
- Lipase screening *Aspergillus* 298-300
- Lipid synthesis *Agaricus bisporus* 722-726
- Lowen, R., B. L. Brady, D. L. Hawksworth and R. R. M. Paterson. Two new lichenicolous species of *Hobsonia*. 842-846
- Luttrell<sup>1</sup> E. S. see Meyer and Luttrell 529
- Lutz, A. and J. Menge. Breaking winter dormancy of *Phytophthora parasitica* propagules using heat shock. 148-150
- MacFall J. S. see Burdsall et al. 861
- Maghrabi, H. A. and L. P. Kish. Isozyme characterization of *Ascosphaerales* associated with bees. III. *Bettisia alvei*. 676-677
- Majewski T. see Lee and Majewski 401
- Malloch D. W. see Kohn et al. 934
- Manocha M. S. see Balasubramanian and Manocha 157
- Marasas, W. F., P. E. Nelson, T. A. Toussoun and P. S. van Wyk. *Fusarium polyphialidicum*, a new species from South Africa. 678-682
- Marasas, W. F. O., P. G. Thiel, C. J. Rabie, P. E. Nelson and T. A. Toussoun. Moniliform production in *Fusarium* section *liseola*. 242-247
- Marr, C. D., D. W. Grund and K. A. Harrison. The taxonomic potential of laccase and tyrosinase spot tests. 169-184
- Martin, R. W., Jr. and C. E. Miller. Ultrastructure of mitosis in the endoparasite *Olpidiopsis* var. 11-21
- . Ultrastructure of zoosporegenesis in the endoparasite *Olpidiopsis* var. 230-241
- . Ultrastructure of sexual reproduction in *Olpidiopsis* var. 359-370
- Mating compatibility *Mucor piriformis* 766-770
- Mating compatibility *Eidixia repanda* 877-887
- Mating type *Phytophthora* 134-136
- Mating types *Mucor piriformis* 766-770
- Mayo, K., R. E. Davis and J. Motta. Stimulation of germination of spores of *Glomus versiforme* by spore-associated bacteria. 426-431
- McGuinness M. D. see Haskins and McGuinness 613
- McLaughlin D. J. see Yoon and McLaughlin 185
- McNabb H. S. Jr. see Niyo et al. 202
- Meiosis *Neurospora* sp. 901-906
- Olpidiopsis* var. 359-368
- Semimorula* 146-147
- Menge J. see Lutz and Menge 148
- Menhaden Ulcerative Mycosis *Aphanomyces* 664-671
- Meyer, S. L. F. and E. S. Luttrell. Ascoma morphology of *Pseudopeziza trifolii* forma *specialis* medicaginis-sativae (Dermateaceae) on alfalfa. 529-542
- Meyers, A. J., Jr. Involvement of *Trichosporon cutaneum* in biofouling of an organic acid recovery system. 469-470
- Michailides, T. J. and R. A. Spotts. Mating types of *Mucor piriformis* isolated from soil and pear fruit in Oregon orchards (on life history of *Mucor piriformis*. 766-770)
- Microbodies *Phytophthora palmivora* 892-899
- Microfungal ecology fungi on *Acer* 114-126
- Miller C. E. see Martin and Miller 230
- Miller, O. K., Jr. [Review of] Arctic and Alpine fungi. 872
- Miller O. K. Jr. see Largent and Miller 136
- Mitchel, D. H., S. W. Chapman and M. L. Farr. Notes on Colorado fungi V: *Physarum alpestre*, a new species. 66-69

- Mitosis *Boletus rubinellus* 185-196  
 Olpidiopsis 11-21  
 Moniliformin production of in *Fusarium* 242-246  
 Morgan-Jones, G., K. Verma and R. K. Verma. *Goos-  
 iella*, a new pteridicolous, helicosporous hypho-  
 mycete genus from Madhya Pradesh, India. 496-  
 500  
 Morton, J. B. Three new species of *Acaulospora* (En-  
 dogonaceae) from high aluminum, low pH soils  
 in West Virginia. 641-648  
 —. Effects of mountants and fixatives on wall  
 structure and Melzer's reaction in spores of two  
*Acaulospora* species (Endogonaceae). 787-794  
 Moser, S. C. see Blackwell et al. 605  
 Moss, S. T. and E. Descals. A previously undescribed  
 stage in the life cycle of *Harpellales* (Tricho-  
 mycetes). 213-222  
 Motta, J. J. and K. Korhonen. A note on *Armillaria*  
*melles* and *Armillaria bulbosa* from the middle  
 Atlantic States. 471-474  
 Motta, J. J., D. C. Peabody and R. B. Peabody. Quan-  
 titative differences in nuclear DNA content be-  
 tween *Armillaria melles* and *Armillaria bul-  
 bosa*. 963-964  
 Motta, J. see Mayo et al. 426  
 Mountants effect of on spores in *Acaulospora* 787-794  
 Moye D. W. see Dykstra et al. 664  
 Mycoparasites *Piptocephalis* 157-162  
*Syzygospora* 619-635  
 Mycorrhizae *Glaziella aurantiaca* 941-954  
*Glomus* 32-35  
*Glomus* with *Juniperus* 108-113  
*Hebeloma arenosa* 861  
*Lactarius* in southern Appalachians 70-79  
*Martellia medlockii* 918-921  
*Neocudoniella radiceola* 934-940  
*Scleroderma* with *Pinus* 139-142  
*Thelephora terrestris* 683  
 extraction of spores from soil 164-167  
 of *Uniola* 728-732  
 spore germination in *Glomus* 426-431  
 tallgrass prairie forbs 316-319  
 Myxomycetes distribution in snowbank 66-69  
 general biology 1-10  
 Nameth S. T. see Armentrout et al. 657  
 Nannfeldt I. A. obituary 692-693  
 Nelson P. E. see Marasas et al. 242  
 Niche specificity cellular slime molds in India 56-65  
 Nielsen B. D. see Kulkarni and Nielsen 781  
 Nitrogen utilization *Gibberella zeae* 568-575  
 Niyo, K. A., H. S. McNabb, Jr. and L. H. Tiffany.  
 Ultrastructure of the ascocarps, asci, and asco-  
 spores of *Mycosphaerella populorum*. 202-212  
 Noga E. J. see Dykstra et al. 664  
 Nuclear cycle *Peridermium yamabense* 637-639  
 Nuclear volume *Armillaria bulbosa* 967-968  
 Nutrition *Acremonium coenophialum* 781-785  
 Pezizales 771-779  
*Stemonites flavogenita* 478-481  
 Oak leaves degradation by aquatic hyphomycetes 922-  
 927  
 Obituaries Emmons C. E. 587-691  
 Nannfeldt I. A. 692-693  
 Stuntz D. E. 515-521  
 Odor *Tricholoma inamoenum* 965-966  
 Ono, Y., M. Kakishima, A. Kijjo and S. Sato. *Blas-  
 tospora smilacis*, a teleomorph of *Caeoma mak-  
 inoi*, and its sorus development. 253-262  
 Oospores *Phytophthora* spp. 351-357  
 Ovrebo, C. L. Three new species of *Tricholoma* with  
 a description of *Tricholoma luteomaculosum*.  
 418-425  
 Palm, M. E. and E. L. Stewart. Typification and no-  
 menclature of selected *Suillus* species. 325-333  
 Palmer M. A. see Cheng-guo et al. 960  
 Papa, K. E. Heterokaryon incompatibility in *Asper-  
 gillus flavus*. 98-101  
 Parmelee, J. A. *Puccinia claytoniae*. 127-128  
 —. The autoecious species of *Puccinia* on *Pole-  
 moniaceae* in North America. 454-468  
 Paterson R. R. M. see Lowen et al. 842  
 Peabody, D. C. and R. B. Peabody. Nuclear volumes  
 and DNA content of three stages in the life cycle  
 of *Armillaria bulbosa*. 967-968  
 Peabody D. C. see Motta et al. 963  
 Peabody R. B. see Motta et al. 963  
 —. see Peabody and Peabody 967  
 Pendergrass L. see Frederick et al. 263  
 Pendland, J. C. and D. G. Boucias. Lectin binding  
 characteristics of several entomogenous *Hypho-  
 mycetes*: possible relationship to insect hem-  
 agglutinins. 818-824  
 Peridial platelet *Clastoderma debaryanum* 263-268  
 Perry T. J. see Blackwell et al. 605  
 Petersen, R. H. [Review of] Mycologists and other taxa.  
 979  
 Peterson J. L. see Kyde and Peterson 851  
 —. see Voorhees and Peterson 762  
 Petesen, R. H. [Review of] Peck, C. H., annual reports  
 for the state botanist 1868-1912. 981  
 Phenoloxidase *Cryptococcus neoformans* 867-868  
 Pezizales 771-779  
 occurrence of in *Basidiomycetes* 169-183  
 Phenylacetaldehyde *Tricholoma inamoenum* 965-966  
 Phylogeny mitosis in *Olpidiopsis* 20  
 Post-fire Pezizales 771-779  
 Powell, M. J. and C. H. Bracker. Distribution of di-  
 aminobenzidine reaction products in zoospores  
 of *Phytophthora palmivora*. 892-900  
 Proteinase production by *Piptocephalis* 157-162  
 Prusso D. C. see Clark and Prusso 865  
 Punsola L. see Guarro et al. 969  
 Rabie C. J. see Marasas et al. 242  
 Raju, N. B. A simple fluorescent staining method for  
 meiotic chromosomes of *Neurospora*. 901-906  
 Rammeloo J. see Imler and Rammeloo 982, Redhead,  
 S. A. Mycological observations 15-16: on *Om-  
 phalia* and *Pleurotus*. 522-528  
 Reeves F. B. see Reinsvold and Reeves 108  
 Reinsvold, R. J. and F. B. Reeves. The mycorrhizae  
 of *Juniperus osteosperma*: identity of the vesic-  
 ular-arbuscular mycorrhizal symbiont, and re-  
 synthesis of VA mycorrhizae. 108-113

- Rhodes, J. C. A simplified assay for cryptococcal phenoloxidase. 867-868
- Richter, D. L. and J. N. Bruhn. Pure culture synthesis of *Pinus resinosa* ectomycorrhizae with *Scleroderma aurantium*. 139-142
- Robnett C. J. see Kurtzman et al. 955
- Rogers, J. D. and B. E. Callan. *Xylaria polymorpha* and its allies in continental United States. 391-400
- Rossi, W. and M. Blackwell. New species of *Laboulbenia* from termite hosts in Africa. 142-145
- Roth I. L. see Frederick et al. 263
- Royse D. J. see Diehle and Royse 929
- Ryvarden L. see Gilbertson and Ryvarden 873, Saikawa, M. Ultrastructure of *Stylopage rhabdospora*, an amoeba-capturing zoopagaceous fungus. 309-312
- Saikawa, M. and J. Hoshino. Electron microscopy on *Sommerstorffia spinosa*, a watermold parasitic on rotifers. 554-561
- Salinity *Aphanomyces* 664-671
- Sampling procedures vesicular-arbuscular mycorrhizae 728-732
- Sato S. see Ono et al. 253
- Sawdust growth on by *Lentinus edodes* 929-932
- Schisler L. C. see Holtz and Schisler 722
- Schofield, W. B. [Review of] Biology of lichenized fungi. 872
- Schoknecht J. D. see Crane and Schoknecht 86
- Sclerotia Aspergillus* 98-101
- Seifert, K. A. A monograph of *Stilbella* and some allied Hyphomycetes; review 980
- Septal pores *Aleuria aurantia* 407-416
- Aleuria cestricea* 407-416
- Anthracoobia melaloma* 407-416
- Anthracoobia muelleri* 407-416
- Cheilymenia* 735-742
- Leucoscypha hetieri* 407-416
- Octospora euchroa* 407-416
- Septal ultrastructure *Endogone pisiiformis* 543-552
- Silva A. A. see Upadhyay et al. 493
- Singer, M. Mycologists and other taxa; review 979
- Singer, R. [Review of] Index *Agaricalium Chilensium*. 978
- Smiley M. J. see Kurtzman et al. 955
- Sodium acetate *Agaricus bisporus* 722-726
- Soil debris *Fusarium polyphialidicum* 678-682
- Soil growth of *Eupenicillium ochrosalmoneum* 248-251
- vesicular-arbuscular spores 164-167
- Sorus development in *Blastospora smilacis* 253-261
- Sporangium development in *Clastoderma debaryanum* 263-268
- Spore discharge in *Boletus rubinellus* 185-196
- Spore germination *Piptopezia* 157-162
- Rhizopus* 482-484
- stimulation by bacteria 426-431
- vesicular-arbuscular mycorrhiza 426-431
- Spore morphology *Acaulospora* 787-794
- Spore production *Endogone pisiiformis* 292-295
- Spore ultrastructure *Echinostelium* spp. 613-617
- Spore ultrastructure *Cavostelium apophysatum* 613-617
- Protostelium mycophaga* 613-617
- Semimorula liquescens* 613-617
- Spore wall structure in *Boletus rubinellus* 185-196
- Sporidia formation in *Tilletia foetida* 371-378
- morphology in *Tilletia foetida* 371-378
- Sporulation *Achlya bispora* 600-603
- Brevilegnia bispora* 600-603
- Glomus* 32-35
- Tilletia foetida* 371-378
- Spot tests for tyrosinase and laccase in Basidiomycetes 169-183
- Spotts R. A. see Michailides and Spotts 766
- Starch catabolism *Rhizomucor* 129-131
- Stempen H. see Evans and Stempen 304
- Stephenson S. L. see Landolt and Stephenson 500
- Stewart E. L. see Palm and Stewart 325
- Stordal J. see Gulden et al. 872, Strain variation *Phytophthora* spp. 351-357
- Stuntz E. E. obituary 515-521
- Su H. J. see Ko et al. 134
- Suberkropp K. see Butler and Suberkropp 922
- Succession fungi on Acer leaves 114-126
- Sugiyama K. see Lee and Sugiyama 289
- Summerbell R. see Kohn et al. 934
- Sutherland, J. B. Regulation of cellulolytic activity in the white-rot fungus *Ischnoderma resinosum*. 52-55
- Sylvia, D. M. Spatial and temporal distribution of vesicular-arbuscular mycorrhizal fungi associated with *Uniola paniculata* in Florida foredunes. 728-734
- Synaptonemal complex *Semimorula* 146-147
- Woronina pythii* 511-512
- Szaniszlo P. J. see Harris and Szaniszlo 853
- Szjarto E. see Barron and Szjarto 972
- Termites *Laboulbenia* 142-145
- Thermophilic fungi *Rhizomucor* 129-131
- Thiel P. G. see Marasas et al. 242
- Thompson, D. P. Effect of essential oils on spore germination of *Rhizopus*, *Mucor* and *Aspergillus* species. 482-485
- Tiffany L. H. see Niyo et al. 202
- Toussoun T. A. see Marasas et al. 242
- Toxicity *Fusarium* 242-246
- Trappe, J. M. and M. A. Castellano. Newly described hypogeous fungi and the mycorrhizae they form in vitro. I. *Martellia medlockii* sp. nov. (Russulaceae). 918-921
- Trimboli D. see Burgess and Trimboli 223
- Tropical endophytes *Pestalotia* 673-675
- Tsueda, A. Fungal morphology and ecology - mostly scanning electron microscopy; review 981
- Tubaki K. see Aoki and Tubaki 877
- Tuthill, D. E. and M. Christensen. *Aspergillus seputus*, a new species in the *Aspergillus ochraceus* group. 475-477
- Tyrosinase occurrence of in Basidiomycetes 169-183
- Uchida, J. Y., M. Aragaki and P. S. Yahata. Basidiospore formation by *Ceratobasidium* sp. on agar. 587-592
- Uecker, F. A. and M. M. Kulik. *Pseudorobillarda sojae*,



- a new pycnidial coelomycete from soybean stems. 449-453
- Ulloa M. see Gilbon et al. 804
- Upadhyay, H. P., W. A. Cavalcanti and A. A. Silva. Two new synnematus hyphomycete genera from Brazil. 493-496
- Vascular-arbuscular *Glomus* 32-35
- Verma K. see Morgan-Jones et al. 496
- Verma R. K. see Morgan-Jones et al. 496
- Vesicular-arbuscular mycorrhizae *Acaulospora* 787-794
- Vesicular-arbuscular mycorrhizae *Endogone pisiformis* 292-295
- of *Uniola* 728-732
- related to soil depth 316-319
- spore germination *Glomus* 426-431
- spores in soil 164-167
- tallgrass prairie forbs 316-319
- Vesicular-arbuscular *Glomus* with *Juniperus* 108-113
- Vittal B. P. R. see Kohlmeyer and Vittal 485
- Vogelzang, L. Ed. Peck, C. H., annual reports for the state botanist 1868-1912; review 981
- Voorhees, D. A. and J. L. Peterson. Hypha-spore attractions in *Schizophyllum commune*. 762-765
- Wall structure *Glomus pansihalos* 832-836
- Watling R. see Largent and Watling 132
- Watson, R. L., D. L. Largent and W. F. Wood. The "coal tar" odor of *Tricholoma inamoenum*. 965-966
- White, J. F., Jr. and G. T. Cole. Endophyte-host associations in forage grasses. IV. The endophyte of *Festuca versuta*. 102-107
- . Endophyte-host associations in forage grasses. V. Occurrence of fungal endophytes in certain species of *Bromus* and *Poa*. 846-850
- Whitford W. G. see Zak and Whitford 840
- Whitney, K. D. and H. Arnott. Morphology and development of calcium oxalate deposits in *Gelbertella persicaria* (Mucorales). 42-51
- Whitney, K. D. and H. J. Arnott. Calcium oxalate crystals and basidiocarp dehiscence in *Geastrum saccatum* (Gasteromycetes). 649-656
- Whitney K. D. see Keller et al. 432
- Wicklow D. T. see Horn and Wicklow 248
- . see Kurtzman et al. 955
- Wolfe, C. B., Jr. Type studies in *Tylophilus*. III. Taxa described by Walter H. Snell, Esther A. Dick, and co-workers. 22-31
- Wong F. M. see Yeoh et al. 298
- Wong, H.-C. and Chien C.-Y. Ultrastructural studies of the conidial anamorphs of *Monascus*. 593-599
- . Ultrastructure of sexual reproduction of *Monascus purpureus*. 713-721
- Wood W. F. see Watson et al. 965
- Wood decay chemistry of in *Ischnoderma* 52-55
- Yahata P. S. see Uchida et al. 587
- Yeoh, H. H., F. M. Wong and G. Lim. Screening for fungal lipase using chromogenic lipid substrates. 298-300
- Yoon, K. S. and D. J. McLaughlin. Basidiosporogenesis in *Boletus rubinellus* II. Late spore development. 185-197
- Zajicek, J. M. and B. A. D. Hetrick. The influence of soil depth on mycorrhizal colonization of forbs in the tallgrass prairie. 316-320
- Zak, J. C. and W. G. Whitford. The occurrence of a hypogeous Ascomycete in the northern Chihuahuan Desert. 840-841
- Zentmyer G. A. see Kellam and Zentmyer 351
- Zoosporogenesis *Olpidiopsis* 230-240
- Zygosporocarp *Endogone pisiformis* 292-295
- beta-glucosidase production of in *Ischnoderma* 52-55
- van Wyk P. S. see Marasas et al. 678

## FUNGUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

- Acariniola* 605, 607, 609-610
- basalipunctata 606
- spp. 610
- subbasalipunctata 606
- Acaulopage*
- pectospora 559
- trachyspora 312
- Acaulospora* 552, 787, 792
- dilatata 641, 642f, 645, 647-648, 787-794, 790f
- foveata 647
- lacunosa 643, 644f, 647-648, 787, 789, 793
- laevis 647, 789
- longula 645
- mellea 645, 647, 789
- morrowae 646, 730-731, 792, 794
- rugosa 645, 645, 646, 646f, 647-648, 787-794, 791f
- scrobiculata 647, 730-731, 789, 794
- sp. 647
- spp. 641, 648, 789
- Acervus*
- episparticus 736-742, 738-739f, 741-742f
- Achlya* 368, 600, 603, 670-671
- ambisexualis 366
- bispora 603
- dubia 600
- glomerata 603
- recurva 366
- rodrigueziana 603

- Acremonium**  
 bacillisporum 119  
 coenophialum 102-107, 781-785  
 loliae 102-107  
 sp. 102-107, 103f, 105-106f, 119, 707  
 spp. 122-124, 781  
**Acrocordiella** 38  
 acculta 38  
 occulta 40  
**Actinomyces**  
 bovis 688  
**Acyrostelium** 62f  
 leptosomum 826-830  
 subglobosum 59-60, 61f, 64  
**Acididium**  
 claytonianum 128  
 sp. 127  
**Agaricus** 723  
 abscondens 525  
 bisporus 194, 722-726, 905  
 brunnescens 932  
 lignatilis 525  
 marmoreus 525-526  
 pseudoboletus 695  
**Agrocybe**  
 aegerita 388  
**Alatospora**  
 acuminata 923-927  
**Alboleptonia**  
 cyathiformis 133  
 hyalodepas 133  
 rubellotincta 132, 132-133  
**Albugo**  
 sp. 20  
**Aleuria** 408, 411, 416-416, 735, 742  
 aurantia 408, 409f, 411, 413-415f  
 cestrica 408, 409f, 411, 413-415f  
 spp. 411  
**Aleuriaceae** 735  
**Aleuriaceae** 735-736, 740  
**Allochytridium** 447  
 expandens 439-448, 441f, 443f, 445-446f  
**Allodus**  
 giliae 456  
**Allomyces**  
 macrogynus 492  
**Alternaria** 667  
 alternata 118, 120, 123, 707, 711  
 solani 492  
 spp. 123, 707-709, 711  
**Amanita**  
 gemmata 683  
**Amblyosporium** 971  
**Amoebidium**  
 parasiticum 213  
**Ampelomyces**  
 quesquali 688  
**Amphisphaeria**  
 olearum 38  
**Amphoromorpha** 605, 610  
 blattina 606  
 entomophila 606  
 spp. 606  
**Amphoropsis** 605, 610  
 media 606  
 minuta 606  
 subminuta 606  
**Anguillospora**  
 pseudolongissima 923  
**Anthraxobolus** 408, 411, 416, 740, 742  
 macrocystis 771, 774, 776  
 maurilabra 771, 774, 776  
 melaloma 408, 410f, 411, 412f, 415f  
 muelleri 408, 411, 412f, 414f  
 spp. 411, 778  
 tristis 771, 774, 776  
**Anthracoidea** 693  
**Antromycopsis** 493  
**Aphanomyces** 240, 669f  
 euteiches 240, 368  
 sp. 19, 366, 664-671, 666f  
**Apodachlya** 489  
 sp. 491-492  
**Apodachlyella** 489  
 completa 490f, 491-492  
**Aporpium**  
 caryae 886  
**Arcyria** 436  
 cinerea 436-438  
 glauca 433  
 insignis 436  
 nigella 432-433, 434f, 436-438, 437f  
 olivaceoglobosa 432-433, 438  
 pausiaca 433, 433, 434-435f, 436-438  
 pomiformia 436-437  
 versicolor 433  
 virescens 433  
**Armilaria**  
 bulbosa 471-474, 473f, 963-964, 967-968  
 cepistipes 838  
 mellea 471-474, 473f, 703, 837-839, 963-964  
 spp. 964  
 zelleri 939  
**Arthrographis** 971  
**Arthropis** 971  
**Articulospora**  
 inflata 923-924, 926  
**Ascobolaceae** 736, 740, 742  
**Ascobolus** 408, 416, 538  
 carbonarius 771, 774, 776, 778  
 perforatus 199-200  
 sect. pseudascodesmis 200  
**Ascocoryne** 937  
**Ascodesmis** 198  
 canina 199  
 macrospora 199  
 microscopica 199  
 nigricans 199  
 ohrstii 198, 198-200, 199-200f  
 porcina 199  
 spp. 871  
**Ascodesmisites**  
 malayensis 866  
**Ascolanthus** 609  
**Ascotremella** 937  
**Aspergillus** 298-300, 475, 482  
 alliaceus 477  
 amstelodami 98

- awamori 298-300  
 campestris 477  
 elegans 477, 707  
 flavus 98-101, 298-300, 477, 484, 492, 706-709, 711, 955-958  
   *flavus* subsp. *flavus* var. *oryzae* 957  
   *flavus* subsp. *parasiticus* var. *parasiticus* 958  
   *flavus* subsp. *parasiticus* var. *sojae* 958  
 fonsecacus 98  
 fumigatus 707  
 glaucus 98, 100, 707  
 heterothallicus 98  
 leporis 956-957  
 nidulans 98, 100, 162, 430, 568, 575, 657, 783  
 niger 98, 298-300, 492, 707-709  
 ochraceus 475, 477, 574, 707  
 oryzae 131, 298-300, 955-958  
 parasiticus 98, 484, 955-958  
 robustus 477  
 sepultus 475, 476-477, 476f  
 sojae 955-958  
 sulphureus 477  
 sydowi 707  
 tamaris 707  
 terreus 98, 100  
 thomii 477  
 versicolor 98, 100  
 wentii 477  
**Asteromella**  
   sp. 118, 120  
**Aureobasidium**  
   pullulans 117-118, 120-125, 131, 707, 805, 807-808, 859  
   sp. 804-808, 806-807f  
**Auricularia** 886  
   auricula-judae 886-887  
   polytricha 886  
   tenuis 886  
  
**Badhamia** 67  
   curtisii 479  
   follicola 479  
   inaurata 66  
   maga 479  
   nitens 66  
   utricularis 479  
**Bahusakala** 91  
**Basipetospora** 869  
**Beauveria**  
   bassiana 818-819, 820f, 821, 822f  
**Bettisia**  
   alvei 676-677  
**Bipolaris**  
   maydis 304-305, 305f  
   spp. 304  
**Blastospora** 260-261  
   ascotela 260  
   betulae 260  
   butleri 260  
   hygrophila 260  
   itoana 260  
   smilacis 254-261, 256f, 259f  
**Blastulidium**  
   poedophthorum 230, 240  
  
**Boletinus**  
   ampliporus 325-326  
   cavipes 326  
   pictus 329  
**Boletus** 325-326  
   albus 328  
   americanus 325-326  
   annularius 327  
   annulatus 327  
   cavipes 326  
   clintonianus 327  
   decipiens 330  
   elegans 327  
   *felleus* forma *albiceps* 22, 23f, 24  
   *felleus* forma *plumbeoviolaceus* 25  
   *felleus* forma *rubrobrunneus* 23f, 24  
   ferrugineus 31  
   ferrugineus subsp. *vinaceogriseus* 31  
   flabelliforme 695  
   flavidus 325-326  
   flavus 327  
   grevillei 327  
   hirtellus var. *mutans* 331  
   lucidus 695, 703  
   luteus 327-328, 330  
   murrarii 329-330  
   obliquatus 695  
   peralbidus 25, 26f  
   pictus 325, 329-330  
   plumbeoviolaceus 25, 26f  
   pseudodecorus 27, 28f  
   rubinellus 185-196, 187-190f, 192-193f  
   rugosus 695  
   spraguei 325, 329  
   subdecorus 27, 28f, 29  
   subluteus 330-331  
   tomentosus 325-326, 331  
   variegatus 695  
   versipellis 191  
   viridarius 327  
**Botryomonilia** 971  
**Brettanomyces**  
   abstinens 150-151  
   custersianus 151  
**Brevilegnia** 600  
   bispora 600-603, 602f  
   minutandra 239  
**Byssochlamys**  
   fulva 869  
   nivea 869  
   spp. 871  
  
**Caeoma** 257  
   deformans 257  
   makinoi 253-261, 258f  
   peltatum 257  
**Calomyxa**  
   metallica 1, 3f  
**Caloscypha** 416  
   fulgens 736-742, 738-739f, 741f  
**Camarops** 693  
**Candida** 288  
   utilis 867  
**Cantharellula**

- umbonata 139, 141  
 Carbomyces  
   emergens 840-841  
 Caryospora  
   lichenopsis 40  
   olearum 38  
 Catenaria  
   allomyces 20  
 Catenochytridium 447  
 Cavostelium  
   apophysatum 613, 614f, 615-616  
   bisporum 617  
 Cenococcum  
   geophilum 683  
   graniforme 683  
 Ceratobasidium 589, 591  
   anceps 589  
   cornigerum 590  
   obscurum 589  
   ramicola 589  
   sp. 588-591, 590f  
 Ceratocystiopsis 609  
 Ceratocystis 300-302, 609  
   fimbriata 302  
   ulmi 610  
   wagneri 562, 566  
 Ceratostomella 302  
 Cerotelium  
   combreti 577, 578f  
   fici 583  
 Cerradoa 257  
 Chaconia 260  
**Chaetanromycopsis 493**  
   **bambusae 493, 494f**  
 Chaetomium  
   brasiliense 721  
 Chalara 609  
 Cheilymenia 416  
   coprinaria 736-742, 737f, 739f  
   stercorea 736-742, 737f, 741f  
 Chinonosphaera  
   apobasidialis 341-342  
 Chlorophyllum  
   molybdites 851, 853  
   spp. 853  
 Choanephora  
   cucurbitarum 157-159, 161  
 Chytridium 447  
   confervae 440, 442  
 Chytriomycetes  
   fruticosus 447  
 Cincinnobolus  
   cesati 688  
 Circinotrichum 495  
 Cladochytrium 444, 447  
 Cladonia  
   leporina 889  
 Cladosporium 667  
   cladosporioides 117-118, 120-125, 707  
   herbarum 707  
   spp. 123  
 Clarkeinda 851  
 Clastoderma 263, 267  
   debaryanum 263-268, 265-266f  
   debaryanum var. impretoria 267  
   microcarpa 267  
 Clavariopsis  
   aquatica 923-926  
 Clitocybe  
   incomis 523-524  
   truncicola 762  
 Clyindroscorella  
   sp. 118  
 Coccidioides  
   immitis 689  
 Cocomyces 537  
 Coenonia  
   denticulata 64  
 Colletotrichum  
   gossypii 706-711, 707  
   sp. 706  
   spp. 708-709  
 Comatricha  
   elegans var. microcarpa 267  
   typhoides 2, 4f  
 Coniothyrium 123  
   fuckelii 117-118, 120  
 Copranophilus 609  
 Coprinus 375, 762, 765, 906  
   cinereus 185, 191, 194, 964, 967  
   commatus 195  
   congregatus 591  
   lagopus 591, 967  
   spp. 186, 194-196  
   verrucispermus 194  
 Coprobia 416  
 Coprotus 871  
 Cordyceps  
   sp. 866  
 Coremiella 971  
 Coreomycetopsis 605  
   oedipus 606, 610  
 Coronophoraceae 693  
 Corticium 380  
   pini-canadensis 382  
 Cortinarius  
   aureifolius var. hesperius 683  
   zakii 683  
 Corynespora  
   cassicola 503-505, 504f  
 Craterium  
   paraguayense 1, 3f  
 Cricunopus  
   luteus 327  
 Cronartium 637  
   ribicola 637  
   spp. 639, 639f  
 Crustomyces  
   pini-canadensis 382  
   subabruptus 385  
 Cryphonectria  
   cubensis 343-349, 345f  
   gyrosa 349  
   parasitica 313, 347  
   spp. 347, 349  
 Cryptococcus 287  
   albidus 288  
   laurentii 287-288

- luteolus* 288  
*neoformans* 287-288, 689, 867-868  
*neoformans* var. *gattii* 288  
*neoformans* var. *neoformans* 288  
*terreus* 288  
*uniguttulatus* 288  
*Cryptophiale* 495  
*Cryptosporella*  
   *eugeniae* 347  
*Cudonia*  
   *circinans* 939  
*Cudoniella*  
   *coniocyboides* 936-937  
*Cunninghamella* 42, 50  
*Curvularia*  
   *lunata* 707-710  
*Cylindrocarpon*  
   sp. 707  
*Cylindrochytridium* 447  
*Cylindrocladium*  
   sp. 119  
*Cystospora* 260  
   *antidesmatis* 257, 260-260  
   *oleae* 257, 260-260  
*Cystostereum*  
   *murraini* 384-385  
   *piceinum* 382  
   *pini-canadense* 380-389, 381f, 382, 383-384f, 387  
   *pini-canadense* ssp. *pini-canadense* 382, 387f  
   *pini-canadense* ssp. *pini-canadense* 384, 389  
   *pini-canadense* ssp. *subabruptum* 384, 385, 389  
   *subabruptum* 385  
  
*Dacryonema* 693  
*Dactylella*  
   *asthenopaga* 559  
*Dekkera*  
   *abstinens* 150, 151, 151f  
   *anomala* 151  
   *intermedia* 151  
*Delicatula*  
   *integrella* 524  
*Dendrothele* 784  
*Dennisiopsis* 871  
*Desmella* 257  
*Desmidiospora*  
   *myrmecophila* 865-866, 866f  
   sect. *Stauroporae* 865  
*Destuntzia* 517  
*Diaporthe*  
   *cubensis* 347  
*Dictyostelium* 2  
   *aureo-stipes* 56, 59-60, 61f, 62f, 63, 502, 826-829  
   *aureum* 826, 829  
   *bifurcatum* 64  
   *brefeldianum* 56  
   *delicatum* 56, 63, 502  
   *discoideum* 56, 59, 61f, 501-502, 826-830  
   *filamentosum* 829  
   *firmitatis* 56  
   *giganteum* 59, 63, 826-827, 829-830  
   *intermedium* 64  
   *lacteum* 826-830  
   *minutum* 56, 59-60, 61f, 63-64, 501-502, 826-830  
   *mucoroides* 56, 59, 61f, 63, 501-502, 826-830  
   *multi-stipes* 64  
   *polycephalum* 59, 61f, 64, 826-828, 830  
   *purpureum* 56, 59, 61f, 63-64, 825-830  
   *rosarium* 826-827  
   *septentrionalis* 826, 830  
   sp. 501-502  
   *sphaerocephalum* 56, 59, 61f, 63, 501, 826-827, 829-830  
   *tenue* 59, 61f, 62f, 64, 502  
   *vinaceo-fuscum* 59, 61f, 62f, 64  
   *violaceum* 60  
*Dictyuchus*  
   *achlyoides* 600  
*Didymium*  
   *dubium* 479  
   *iridis* 2, 4f, 6f, 7, 8f, 478-479  
   *nigripes* 9, 479  
   *squamulosum* 479  
*Dimeromyces* 401, 605  
   *anisolabidis* 403  
   *clavulifer* 405  
   *eparchi* 402f, 403  
   *flabellatus* 403, 404f  
   *forficulae* 403  
   *lobatus* 403  
   *minutissimus* 403  
   *simplex* 405  
*Diplodia*  
   *gossypina* 707-709  
   *pinica* 960  
*Diplonaevia* 693  
*Diplophlyctis* 447  
   *sarcoptoides* 447  
*Dipyrenis* 37  
*Discocurtisia* 693  
*Discula*  
   sp. 119  
*Drechslera*  
   *maydis* 304  
   spp. 707-709, 711  
*Echinostelium* 613, 615-616  
   *arboreum* 613, 614f, 615  
   *bisporum* 613-617, 614f, 615, 617  
   *coelocephalum* 613, 614f, 615  
   *corynophorum* 613, 614f, 615  
   *lunatum* 613, 617  
   *minutum* 478-479, 613-617, 614f  
   sp. 613, 614f, 615-616  
   spp. 616  
  
*Edythea* 257  
*Elaphomyces* 407  
*Eleutherascus*  
   spp. 871  
*Elsinoe* 508  
   *clethrae* 507  
   *ledi* 507  
   *mattiolianum* 507  
   *vaccinii* 506, 507f  
*Encoelia*  
   *pruinosa* 610  
*Endochytrium* 439  
   *multiguttulatum* 439, 447



- Endoconidiophora 302  
 Endocronartium  
   harknessii 637  
   pini 637  
   spp. 638-639, 639f  
 Endogonaceae 166, 292, 294, 787, 941, 951-952  
 Endogone 292, 543, 552  
   flammicorona 543  
   incrassata 552  
   lactiflua 543  
   pisiformis 292-295, 543-552, 545f, 547f, 549-550f  
   sp. 319  
 Endogonella 941-942  
 Endosporella 605, 610  
   diopsis 606  
 Endothia 150  
   eugeniae 343-349  
   havanensis 349  
   parasitica 100, 313-315, 314f  
   spp. 347, 349  
 Entoloma  
   albo-umbonatum 138  
   phleboides 138  
   subquadratum 136, 138  
 Entomocosma 605, 610  
   laboulbenioides 606  
 Entonaema  
   liquescent 941-942  
 Entophlyctis  
   sp. 440  
 Entrophospora 552  
   colombiana 789  
   sp. 647  
 Epichloe  
   typhina 781  
 Epicoccum 667  
   purpurascens 118, 120, 123, 707-709  
   spp. 123  
 Epidermophyton 688  
 Eucantharomyces 401  
 Eupenicillium  
   ochrosalmoneum 248-251  
   sp. 251  
 Eurotiales 871  
 Eurotium  
   oryzae 958  
 Euryporus  
   cavipes 326  
 Exidia 886-887  
   candida 886  
   glandulosa 886-887  
   pithya 886  
   populina 886  
   recisa 886-887  
   repanda 877-887, 878-880f, 882f, 885f  
   saccharina 886  
   truncata 887  
   uvapassa 886-887  
 Exidiopsis 886  
   plumbescens 886  
 Exobasidium 341, 693  
 Faurelina  
   indica 969  
 Fibulobasidium  
   inconspicuum 886  
 Filosporella  
   annelidica 923, 926  
 Flagellospora  
   curvula 923, 925-927  
 Flammulina 762  
 Fomitopsis  
   pinicola 703  
 Fragosia  
   verrucosa 871  
 Fuligo 2  
   cinerea 479  
   septica 2, 479  
 Fusarium 503, 667, 765  
   annulatum 243, 245  
   anthophilum 243-245  
   chlamydosporum 682, 707-709  
   dlamini 243, 678  
   equiseti 707-710  
   fujikuroi 228, 246  
   martii 574  
   moniliiforme 223, 227f, 228, 242-246, 707-709  
   moniliiforme var. subglutinans 242  
   nygamai 223, 223-229, 225-227f, 678  
   oxysporum 227f, 228, 707, 762-763  
   pallidroseum 707-711  
   polyphialidicum 678, 678-682, 679-681f  
   proliferatum 228, 243-246  
   roseum 568  
   sect. Arthrosporiella 682  
   sect. Gibbosum 682  
   sect. Sporotrichiella 682  
   sect. elegans 228-229  
   sect. liseola 228-229, 243, 245-246  
   semitectum 682, 707-709  
   solani 707-709  
   sp. 119, 223  
   spp. 678, 706-709, 708-709  
   subglutinans 242-246  
   succisae 243-245  
 Ganoderma 694  
   curtisii 694, 696, 704  
   lucidum 694-704, 698f, 701-702f  
   nevadense 694-695  
   oregonense 694-695  
   polychromum 694-695  
   ravenelii 696  
   ravenellii 704  
   resinaceum 694-700, 703-704  
   sequoiae 694-695  
   sessile 694-695  
   spp. 695  
   sulcatum 694-695  
   tornatum 702  
   tsugae 694-704, 698f, 702f  
   valesiacum 694-696, 698-700, 703-704  
   zonatum 694-696  
 Geastrum  
   calceus 649  
   minimum 649  
   minus 649, 651  
   saccatum 649-655, 652-654f

- spp. 649  
*Gelasinospora*  
*calospora* f. *tetrasperma* 771, 773-774, 776  
*calospora* var. *tetrasperma* 778  
*Geniculosporium* 394  
*Genistellospora*  
*homothallica* 216, 221  
*Geopyxis*  
*carbonaria* 772, 774, 776, 778  
*Geotrichum*  
*candidum* 662  
sp. 707-709  
*Gerwasia*  
*rubi* 260  
*Gibberella*  
*fujikuroi* 242  
*zeae* 251, 568-575  
*Gigaspora* 165-167, 552, 787, 792  
*albida* 319  
*calospora* 166  
*heterogama* 319, 647  
*verrucosa* 730-731  
*weresubiae* 730-731  
*Gilbertella* 42  
*persicaria* 42-51, 44-48f  
*Glaziella* 941-942, 951, 953-954  
*aurantiaca* 941-954, 944-945f, 947-950f, 952f  
*berkeleyi* 941  
*vesiculosa* 941-942  
*Glaziellaceae* 953  
*Glaziellales* 953  
*Gliocladium*  
*roseum* 119  
sp. 122, 124  
*Glomus* 645  
*aggregatum* 730-732, 835  
*australe* 835  
*caledonium* 835-836  
*claroideum* 792  
*constrictum* 319, 792  
*deserticola* 730-732  
*diaphanum* 647  
*epigaeum* 426, 431  
*etunicatum* 792  
*fasciculatum* 32-35, 109-113, 319, 835  
*globiferum* 730-732  
*macrocarpum* 32-35, 792-792, 835  
*microcarpum* 110-111  
*monosporum* 835  
*mosseae* 32-35, 109-110  
*occultum* 647-647  
*pansihalos* 792, 832, 832-836, 833f  
*pellucida* 794  
sp. 832, 836  
spp. 165-167  
*versiforme* 426-431, 430f  
*Goosiella* 496, 500  
*helicospora* 496, 497-498f, 499, 499  
*Gymnoascales* 871  
*Gymnodiscus* 871  
*Gymnomycetes* 919  
*Gymnosporangium*  
*nidus-avis* 195  
*Gyromitra*  
*infula* 772, 774, 776, 778  
*Haematomma* 888  
*clatinum* 888-891  
*ochrophaeum* 888-891  
sp. 890-891  
*Haematommataceae* 888  
*Hainesia*  
*lythri* 119  
*Hamigera*  
*avellanea* 869  
spp. 871  
*Hansenula* 287-288  
*Harpella* 220  
*leptosa* 220  
*melusinae* 216f, 219f, 220-221  
sp. 215f, 216, 217-218f  
*Harpellaceae* 220  
*Harpographium* 495  
*Hebeloma* 516, 861  
*arenosa* 861, 861-864, 862f  
*colvini* 862-864  
*colvini* var. *velatum* 862-863  
*crustuliniforme* 862-864  
*hiemale* 862-863  
*sect. Denudata* 864  
*subg. Hebeloma* 864  
*vaccinum* 862-863  
*Helicoma* 500  
*Helicomina*  
*caperoniae* 500  
*Helicominopsis*  
*fici* 500  
*Helicomycetes*  
*mirabilis* 842  
*Helicosporium* 500  
*Heliscus*  
*lugdunensis* 923-927  
*Helminthosporium*  
*maydis* 304  
*Helotium*  
*immaculatum* 523  
*Helvella* 693  
*Hemileia* 257, 261  
*antidesma* 260  
spp. 260  
*vastatrix* 257, 261, 585  
*Hemileiopsis* 261  
*Herpomyces* 401  
sp. 209, 721  
*Hirsutella* 866  
*Histoplasma*  
*capsulatum* 688  
*Hobsonia* 500, 843  
*ackermannii* 842  
*christiansenii* 842, 843f, 844, 844f  
*gigaspora* 842  
*mirabilis* 842, 846  
*santessonii* 843f, 844, 845f  
*Holtermannia*  
*corniformis* 886  
*Hormiscium*  
*undulatum* 86  
*Hormographis*

- ramirezii* 969, 969-970f, 969-971  
 Humariaceae 735  
 Hygrophoropsis  
   *aurantiaca* 139, 141  
 Hymenoplella  
   *occulta* 40  
 Hymenoscyphus  
   *monotropae* 939  
 Hypocreaceae 941  
 Hypsizygus  
   *elongatipes* 525-526  
   *marmoreus* 525-526  
   *ulmarius* 526  
 Hysterangium  
   *crassum* 42  
 Hysteronaevia 693  
 Illosporium  
   *carneum* 845  
   *corallinum* 842-844  
 Inocybe 516-517  
 Iodophanus 408, 736  
 Isaria 866  
 Ischnoderma  
   *resinosum* 52-55  
 Isoachlya 670  
 Ixocomus  
   *americanus* 325-326  
   *elegans* 327  
   *luteus* 327  
   *placidus* 328  
 Kainomyces 291-292  
 Karlingia 447  
   *marilandicus* 447  
   *rosea* 447  
 Karlingiomyces 447  
 Laboulbenia 401  
   *admirabilis* 401, 402f  
   *brignolii* 142, 142f, 144-145  
   *felices-caprae* 142, 142f, 144  
   *formicarum* 865  
   *geminata* 142-145, 144  
   *ghanaensis* 142f, 144, 145  
   *hagenii* 142  
 Laboulbeniopsis 605, 610  
   *termitarius* 606, 610  
 Laccaria 762, 765  
 Lactaria  
   *camphorata* subsp. *fragilis* 76  
 Lactarius 80-85  
   *alpinus* 82  
   *aquifluus* 82  
   *blennius* 78  
   *camphoratus* 77-78, 82  
   *canadensis* 82  
   *cinereus* 82  
   *cinereus* var. *cinereus* 70, 78  
   *cinereus* var. *fagietorum* 70, 78  
   *controversus* 82  
   *deceptivus* 82  
   *fallax* 73  
   *fragilis* 70, 71f, 76f, 77-78, 82  
   *fragilis* var. *fragilis* 76, 78  
   *fragilis* var. *rubidus* 78  
   *gerardii* 82  
   *glysiosmus* 82  
   *griseus* 82  
   *helvus* 81-82  
   *hibbardae* 82  
   *hysginus* 81-82  
   *lignytellus* 70, 71f, 72f, 73, 82  
   *lignytus* 73, 82  
   *lignytus* var. *canadensis* 73  
   *lignytus* var. *marginatus* 73  
   *mucidus* 82  
   *oculatus* 70, 71f, 73, 74f, 76, 82  
   *peckii* 82  
   *pubescens* 82  
   *representans* 82  
   *resimus* 82  
   *rufus* 82  
   *sordidus* 82  
   *splendens* 82  
   *subdulcis* *oculatus* 73  
   *thejogalus* 82  
   *thyinos* 82  
   *torminosus* 82  
   *uvidus* 82  
   *vietus* 78, 82  
   *vinaceorufescens* 82  
 Lagenidium  
   *callinectes* 230, 240, 815  
   *giganteum* 810-817, 811-814f, 816f  
 Lagenisma  
   *coscinodisci* 11, 230, 359, 366  
 Lageriomyces  
   *aenigmaticus* 220  
 Laxitextum  
   *bicolor* 388  
 Lecanoraceae 888  
 Leccinum 762, 765  
 Lecideaceae 888  
 Lecythophora 693  
 Legeriomycetaceae 220  
 Lemonniera  
   *aquatica* 923, 926  
 Lentinula  
   *reticeps* 526  
 Lentinus  
   *adhaerens* 296-297  
   *adhaerens* var. *inadhaerens* 296-297  
   *edodes* 195, 929-932  
   *kauffmanii* 297  
 Leotia 937  
 Lepiota  
   *cristata* 851-853  
   *cristata* var. *viridispora* 851, 852f  
 Leptographium 301-302  
 Leptomitrus 489  
   *lacteus* 490f, 491-492  
 Leucoscypha 408, 411, 416-416, 742  
   *hetieri* 408, 411, 413-415f  
 Licea  
   *flexuosa* 478-479  
 Lophiostoma  
   *mangrovis* 486-487f, 487, 488

- semiliberum* 488  
*subcollapsum* 39f, 40  
*Lulworthia* 609  
*Lyophyllum* 527  
*decastes* 527  
*Majewskia* 289  
*japonica* 290, 290–291f, 291–292  
*Malbranchea*  
*spp.* 971  
*Marasmiellus*  
*tricolor* 325  
*Marasmius* 522  
*Maravalia* 260  
*Martellia* 910  
*medlockii* 918, 918–921, 920f  
*Massaria*  
*occulta* 39f, 40  
*Melanomma*  
*lichenopsis* 40  
*olearum* 38  
*Melanophyllum* 851  
*Melanospore* 609  
*Melastiza* 416  
*Membranosorus*  
*heterantherae* 512  
*Merimbla*  
*ingelheimense* 869  
*Metarrhizium*  
*anisopliae* 821  
*anisopliae* var. *major* 818–819  
*Metarrhizium*  
*anisopliae* 120, 123–124  
*spp.* 122  
*Mettarrhizium*  
*anisopliae* 119  
*Microascus*  
*exsertus* 676–677  
*Micropeziza* 693  
*Microsporum* 688  
*Mikronegeria* 261  
*spp.* 257  
*Monasceae* 871  
*Monascella* 869  
*botryosa* 869, 870f, 871  
*Monascus* 593–594, 597, 721, 869  
*major* 594–596f, 597–598, 598f  
*pilosus* 593–594, 598, 713  
*purpureus* 593–594, 597–598, 713–721, 714f, 717–720f, 869  
*ruber* 593–594, 594f, 597–599, 713, 720, 869  
*spp.* 713, 720  
*Monilia* 913  
*fruticicola* 913  
*fructigena* 913–917, 914f, 916f  
*mali* 913  
*spp.* 913  
*Monoblepharella* 444  
*Monocillium*  
*spp.* 122  
*Morchella*  
*elata* 772, 774, 776, 778  
*Mortierella*  
*isabellina* 119, 124  
*spp.* 119  
*spp.* 120, 122–124  
*Mucor* 482  
*facemosus* f. *racemosus* 483  
*hiemalis* 50, 483, 657, 661–662, 770  
*mucedo* 483, 770  
*piriformis* 483, 766–770, 769f  
*spp.* 122–124, 707–709  
*Mycena*  
*alkalina* 191  
*clavata* 523  
*gracilis* 523  
*hiemalis* 523  
*immaculata* 524  
*pallida* 523  
*papillata* 522  
*phaeophylla* 522–523  
*pusillissima* 522, 524  
*subvestita* 522, 524  
*thujina* 522–523  
*vestita* 522  
*Mycorhynchidium* 609  
*Mycorhynchus* 609  
*Mycosphaerella*  
*cryptica* 211  
*nubilosa* 211  
*populorum* 202–211, 205–208f, 210f  
*spp.* 209  
*Mycotypha*  
*spp.* 161  
*Myriapodophila* 605, 610  
*argentinensis* 606  
*Myxarium*  
*nucleatum* 886  
*Naeviella* 693  
*Navicella*  
*pileata* 37  
*Nematotecton*  
*tripolitanius* 559  
*Neobulgaria* 937  
*Neocudoniella* 937  
*abbiceps* 938f  
*albiceps* 935–937  
*jezoensis* 937  
*radicella* 934–940, 935, 936f, 938–939f  
*Neolecta*  
*vitellina* 939  
*Neottiospora* 452  
*Nephrocytrium* 447  
*Neurospora* 569, 901, 903, 906–906  
*crassa* 568, 661–662, 784, 901, 903, 905, 957  
*crassa* x *intermedia* 901–906, 902f, 904f  
*intermedia* 901, 903, 905  
*Nigrospora*  
*oryzae* 707–709  
*Nimbomollisia* 693  
*Nodulisporium* 394  
*Nolanea*  
*quadrospora* 136, 137–138, 137f  
*Nomuraea*  
*rileyi* 818–819, 820f, 821  
*Nowakowskiella* 444, 447

- Octospora* 408, 416, 740, 742  
*euchroa* 408, 410f, 411, 413-414f  
 spp. 411  
*Odontia*  
*subabrupta* 380, 381f, 382, 385, 389  
*Odioidendron* 971  
*Olivea*  
*scitula* 584f, 585  
*Olpidiopsis* 11-21, 230  
*achlyae* 365  
 spp. 359  
*varians* 12, 13-19f, 19-20, 230-240, 231-233f, 235-238f, 359-368, 361-364f, 366-367f  
*Olpidium* 972  
*nematodeae* 972-973  
*vermicola* 972, 972-975, 973-974f  
*Olpitrichum*  
 sp. 707-709  
*Ombrophila*  
*albiceps* 937  
*violacea* 937  
*Omphalia* 522  
*clavata* 522-523  
*fibula* 524  
*papillata* 522-524  
*pusillissima* 522, 524  
*vestita* 522, 524-525  
*Omphalina* 522  
*clavata* 523  
*Omphalopsis*  
*pallida* 523-524  
*papillata* 523  
*Onygena*  
*corvina* 869  
*equina* 869  
 spp. 871  
*Onygenaceae* 871  
*Oomycetes* 778, 810, 815  
*Oospora*  
*equina* 86  
*Ophiostoma* 301-303  
*ulmi* 301-302  
*Orthotricha*  
*microcephala* 267  
*Otidea* 693, 735  
  
*Pachnocybe*  
*ferruginea* 335-342, 335f, 337-338f  
*Paecilomyces* 869  
*carneus* 119  
*farinosus* 119, 124, 818-819, 820f, 821, 822f  
*marquandii* 119  
*ochraceus* 820f, 821, 822f  
 spp. 120, 122-123  
*Panellus* 525  
*Papulospora*  
 sp. 707-709  
*Peltigera*  
 spp. 845  
*Penicillium* 475, 667  
*brevi-compactum* 118  
*chrysogenum* 784  
*citrinum* 119  
*dangeardii* 684  
*frequentans* 118  
*glaucum* 250  
*granulatum* 119  
*herquii* 119  
*implicatum* 119  
*ingelheimense* 869  
*lividum* 119  
*multicolor* 119  
*ochrosalmoneum* 248  
 spp. 120-122, 707-709, 711  
*thomii* 118  
*Peniophora*  
*piceina* 380, 381f, 382  
*Pennella*  
*simulii* 216  
*Peplopus*  
*luteus* 327  
*Peridermium* 639  
*yamabense* 638-639, 638-639f  
*Pestalospheeria*  
*elacidis* 674  
*Pestalotia*  
*guepini* 673  
*longisetula* 674  
*microspora* 673-674  
 sp. 707, 710-711  
 spp. 673, 675  
*subcuticularis* 673-675  
*Pestalotiopsis*  
*foedans* 673  
*Peziza* 408  
*echinospora* 772, 774, 776  
*endocarpoides* 772-774, 776  
*petersii* 772, 774, 776  
*praetervisa* 772, 774, 776  
 spp. 778  
*tenacella* 772, 774, 776  
*trachycarpa* 772-774, 776, 778  
*violacea* 772, 774, 776  
*Pezizaceae* 735-736, 740, 742  
*Pezizales* 735-736, 740, 778, 871  
*Phaedropezia* 416  
*Phaeodactylium* 499  
*Phaeophyscia* 92-93  
*ciliata* 96  
*melanchra* 95  
*orbicularis* 95  
*versus* 92  
*Phaeotheca* 91  
*Phakopsora*  
*pachyrhizi* 585  
*Phanerochaete*  
*chrysosporium* 191  
*Phascolomyces*  
*articulosus* 158-159, 161  
*Phialocephala* 301  
*Phialophora*  
*gregata* 503-505, 504f  
*Phlyctochytrium*  
*irregulare* 20  
*Phoma* 503  
*cava* 118, 120  
*exigua* 117-118, 120



- sp. 118, 707  
 spp. 123, 710-711  
**Phomopsis** 710  
**Physarella**  
   *oblonga* 479  
**Physarum** 480  
   *aenacum* 1, 3f  
   *albescens* 68  
   *alpestre* 67-69, 68f, 68f  
   *alpinum* 66-69, 68f  
   *bilgramii* 1  
   *didermoides* 479  
   *flavicomum* 2, 3f, 4f, 478-479  
   *globuliferum* 4f  
   *gyrosum* 479  
   *polycephalum* 1-2, 5, 7, 8f, 478-479  
   *rigidum* 478-479  
   *virescens* var. *alpinum* 67  
**Physcia**  
   *chloantha* 92-93  
   *denigrata* 94  
   *luganensis* 94  
   *melanchra* 95  
   *nepalensis* 96  
   *pragensis* 94  
   *stellaris* 96  
   *tenella* 842  
**Physciella** 92-93, 93  
   *chloantha* 94, 95  
   *denigrata* 95  
   *melanchra* 94, 95  
   *nepalensis* 95, 96  
**Phytophthora** 306  
   *botryosa* 356  
   *cambivora* 356  
   *capsici* 134, 240, 351-356, 355f  
   *cinnamomi* 907-910  
   *cinnamoni* 356  
   *citrophthora* 351, 353-355  
   *cryptogea* 907-908, 910-911  
   *dreschleri* 149, 307, 907-911  
   *dreschleri* 357  
   *fragariae* 149, 356  
   *infestans* 240, 356  
   *insolita* 308  
   *meadii* 356  
   *megasperma* 306-308, 307f  
   *melonis* 306, 907-911  
   *nicotianae* 306-308  
   *palmivora* 19, 351-354, 356, 892-899, 894f, 896f, 898f  
   *parasitica* 134-135, 148-150, 240, 909  
   *parasitica* var. *nicotianae* 815  
   *sinensis* 907-911  
   spp. 351-357, 355f  
**Phytophthora**  
   *capsici* 909  
**Pichia** 287-288  
**Pilobolus** 50  
   *crystallinus* 49  
   *kleinii* 49  
**Piptopezalis**  
   *fimbriata* 161  
   spp. 157  
   *virginiana* 157-162  
**Pirottaea** 693  
**Pisolithus**  
   *tinctorius* 141  
**Pithoascus**  
   *langeronii* 971  
**Pithomyces** 667  
   sp. 707-709  
**Plasmodiophora**  
   *brassicae* 511-512  
   *diplantherae* 511-512  
**Pleurotus** 522, 525  
   *abscondens* 525  
   *elongatipes* 525-526  
   *lignatilis* 525  
   *ostreatus* 526  
   *pubescens* 526  
   *sapidus* 526  
   *similis* 526  
   *terrestris* 527  
   *tessellatus* 525-526  
   *ulmarius* 525-526  
   *umbonatus* 527  
**Pluteus** 516  
**Polymyxa**  
   *betae* 511-512  
   *graminis* 511-512  
**Polyporus** 694  
   *ciliatus* 388  
   *curtisii* 695, 704  
   *dryophilus* 762, 765  
   *lucidus* 694, 703-704  
   *oregonense* 695  
   *resinosus* 52  
   *tsugae* 694  
**Polysphondylium**  
   *filamentosum* 826  
   *pallidum* 56, 59-60, 61f, 63, 501-502, 826-830  
   *violaceum* 56, 59, 61f, 63, 501-502, 825-830  
**Poria**  
   *latemarginata* 194  
**Prosopodium**  
   *aragatum* 799, 801  
   *bahamense* 801  
   *bicolor* 798f, 799, 800f, 801, 802  
   *couraliae* 802  
   *irregulare* 799  
   *palmatum* 801-802  
   *paraguayensis* 799  
   *perornatum* 802  
   *plagiopus* 802  
   spp. 799  
   *suppressum* 799, 801  
   *tecomicola* 799, 801-802  
   *transformans* 799  
   *trinidadense* 799  
   *venezuelanum* 802  
   *wulffiae* 799  
**Prosteliu**  
   *mycophaga* 614f  
**Protoachlya** 670  
**Protosporangium** 857  
   *articulatum* 857, 859  
   *conicum* 857, 858f

- fragile 860  
spp. 859-860
- Protostelium**  
mycophaga 613, 615-616
- Psathyrella** 762, 765
- Pseudoascozonus** 871  
racemosporus 871
- Pseudocercospora**  
caperoniae 500
- Pseudopeziza**  
medicaginis 529  
trifolii f. sp. medicaginis-sativae 529-541, 531f, 533f, 535-536f, 539-540f
- Pseudorobillarda** 449, 453  
aquatica 449  
bambusae 452  
indica 452  
sojae 450, 451f, 452-453
- Pseudotaeniolina** 88  
convolvuli 88, 90-91f, 91
- Pseudovalsa**  
occulta 40
- Puccinia**  
aspillae-latifolia 578  
claytoniae 127-128, 127f  
crassipes 579f, 580  
douglasii 459  
douglasii var. douglasii 455, 460, 465, 466f, 467  
douglasii var. hoodii 455, 459, 466f, 467  
ecliptae 579f, 580  
fragilis 459, 461, 467  
fragilis var. divaricatae 455, 458f, 461  
fragilis var. fragilis 455, 458f, 460  
fumosa 455, 462f, 463  
giliae 455, 461, 462f  
gilicola 454-456, 457f  
graminis subsp. graminis var. graminis f.sp. tritici 802  
gulosa 454, 456, 457f  
humationis 584  
kyllingicola 581  
mariae-wilsoniae 128  
mesobulbosae 580, 581f  
mysorensis 581  
patagonica 461  
plumbaria 454-456, 458f, 459-461, 467  
plumbaria phlogina 461  
polemonii 454-455, 457f  
richardsonii 465  
sp. 460  
thaliae 577, 578f  
wilcoxiana 456, 461  
yosemitana 455, 464f, 465
- Pulvinula** 416  
archeri 772, 774, 776, 778
- Pyronema** 541
- Pyronemataceae** 735-736, 742
- Pyropyxis**  
rubra 772, 774, 776, 778-778
- Pythium** 368  
middletonii 240
- Pyxidiphora** 607, 609  
grovei 609
- kimbroughii** 607, 608f, 609-611
- Radulum**  
pini-canadensis 380, 381f, 382
- Raperia**  
spinulosa 871
- Ravenelia**  
zygiae 583
- Requienella** 37-38  
alaterni 37  
lichenopsis 37, 39f, 40  
olearum 37-38  
princeps 37  
saccardiana 37  
seminuda 37-41, 38, 38f, 39f
- Requienellaceae** 37
- Rhinocladia** 693
- Rhizina**  
undulata 772-774, 776-778
- Rhizoctonia**  
cerealae 106-107, 106f, 661  
pratensis 587  
silvestris 938  
solani 587, 589-591, 658-662  
sp. 707-709
- Rhizomucor**  
pusillus 129-131
- Rhizophydium** 447
- Rhizopus** 50, 482  
arrhizus 483, 508-509  
arrhizus var. arrhizus 508-510  
arrhizus var. delemar 509  
arrhizus var. rouxii 509  
chinensis 483, 508-510  
chinensis var. liquefaciens 509-510  
circinans 483  
cohnii 509-510  
japonicus 483  
kazanensis 483  
microsporus 508-510  
microsporus var. chinensis 510  
microsporus var. oligosporus 510  
microsporus var. rhizopodiformis 510  
microsporus var. microsporus 509  
oligosporus 509-510  
oryzae 50, 483, 508  
pseudochinensis 509-510  
pygmaeus 483, 509-510  
rhizopodiformis 509-510  
sp. 483  
spp. 707, 710-711  
stolonifer 483, 509  
tritici 483, 509
- Rhodophyllus**  
pallidocarnaeus 133  
prismosporus 138  
pseudocystidiatus 138
- Rhodotorula**  
glutinis 805, 807
- Rhodotus**  
palmarum 526
- Rickenella**  
fibula 523
- Rickia** 401

- Robillarda** 449, 453  
   *lathyri* 452  
   *muhlenbergiae* 449  
   *phragmitis* 449, 452  
   *sissilis* 453  
   *vitis* 449  
**Russula** 83, 693  
  
**Saccharomyces** 287-288  
   *cerevisiae* 568, 721, 782, 853, 905  
**Saccobolus** 408, 416  
**Saprolegnia** 240, 368  
   *ferax* 19, 366  
   *furcata* 366  
   *monoica* 657, 661  
   sp. 667, 670  
   *terrestris* 240, 366  
**Sarcodon** 693  
**Schizophyllum**  
   *commune* 186, 195, 762-765, 764f, 839  
**Sclerocystis**  
   *coremioides* 319  
**Scleroderma**  
   *aurantium* 139-142, 140f  
**Sclerotinia**  
   *sclerotiorum* 913  
   spp. 684  
**Sclerotiniaceae** 913  
**Sclerotium**  
   spp. 684  
**Scutellinia** 416  
   *pyOoylvanica* 736-742, 737f  
   *scutellata* 736-742, 737f, 739f, 741f  
   sp. 772, 774, 776  
   spp. 779  
   *stenosperma* 772, 774, 776  
   *umbrosum* 736-742, 737f  
**Scutellinieae** 735-736, 740  
**Scutellinioideae** 735  
**Scutomollisia** 693  
**Semimorula**  
   *liquescent* 146-147, 146f, 147f, 613, 614f, 615-616  
**Septoria**  
   *musiva* 202  
**Simulium**  
   *microsporus* 216  
**Sirobasidium**  
   *magnum* 886  
**Skierka**  
   *congensis* 582f, 583  
**Smittium**  
   *morbosum* 213, 220-222  
**Sommerstorffia**  
   *spinosa* 554-561, 555f, 557-568f, 560f  
**Sordaria**  
   *macrospora* 657, 662  
**Sorosphaera**  
   *veronicae* 511-512  
**Sowerbyella** 416  
**Sowerbyelleae** 735-736, 740  
**Spathularia**  
   *flavida* 939  
**Spermophthora** 692  
**Sphaceloma** 508  
  
**Sphaeria**  
   *lichenopsis* 40  
   *olearum* 38  
   *polymorpha* 391  
   *scruposa* 397  
   *seminuda* 38  
**Sphaeriales** 778  
**Sphaeronema**  
   *rufum* 693  
**Sphaeropsis** 962  
   *sapinea* 960-961f, 960-962  
**Sphaerosporella**  
   *brunnea* 772, 774, 776-778  
**Sphaerosporium**  
   *equinum* 86, 88, 88f, 89f  
   *lignatile* 88  
**Sphaerostilbe**  
   *repens* 651  
**Sporidiobolus**  
   *johnsonii* 805, 807  
**Sporobolomyces** 121  
**Sporothrix** 565  
**Stemonitis**  
   *axifera* 478-479  
   *flavogenita* 478-481  
**Stereum**  
   *hirsutum* 306  
**Streptomyces**  
   sp. 160  
**Strickeria** 37  
**Stylopage**  
   *rhabdospora* 309-312, 310-311f  
**Suillus** 325, 329-330  
   *americanus* 325-326  
   *ampliporus* 326  
   *cavipes* 325-326  
   *clintonianus* 327  
   *cothurnatus* 330  
   *elegans* 327  
   *granulatus* 325-326  
   *grevillei* 325-327  
   *grevillei* var. *clintonianus* 327  
   *hirtellus* var. *mutans* 331  
   *luteus* 325-328  
   *murrayi* 329-330  
   *pictus* 325-326, 329  
   *pinorigidus* 330  
   *placidus* 325-326, 328-329  
   *proximus* 327  
   *salmonicolor* 330  
   spp. 330  
   *spraguei* 329-330  
   *subluteus* 325-326, 330-331  
   *tomentosus* 325-326, 331-332  
  
**Talaromyces**  
   *flavus* 684-686  
**Taphrina** 518  
**Terfezia**  
   *bouldieri* 840  
   *clovergi* 840  
**Tetracladium**  
   *marchalianum* 923-924, 926-927  
**Thanatephorus**

- cucumeris 587, 590, 658  
*Thaxteriola* 605-607, 608f, 609-611  
   *infuscata* 605-606, 610  
   *moseri* 605-606, 610  
   *nigromarginata* 605-606  
   spp. 606  
   *subhyalina* 605-606  
*Thecotheus* 408, 416  
*Thelebolus* 408  
*Thelephora*  
   *terrestris* 683  
*Thelephoraceae* 688  
*Thielavia* 609  
*Thraustotheca*  
   *clavata* 19, 366  
   *primosachlya* 600  
*Tilletia* 371  
   *foetida* 371-378, 372f, 374f, 376-378f  
   *laevis* 371  
   spp. 371  
*Tilletiaria*  
   *anomala* 193  
*Tirmania*  
   *nivea* 840  
   *pinoyi* 840  
*Torula*  
   *convolvuli* 86, 88, 91  
   *equina* 86-88  
*Torulopsis* 287-288  
*Treleasia* 609  
*Trematomyces* 37-38  
   *lichenopsis* 40  
   *olearum* 38  
*Trematosphaeria* 37  
   *lichenopsis* 40  
   *olearum* 38  
   *seminuda* 38  
   *subcollapsa* 40  
*Tremella* 886  
   *fuciformis* 886  
   *globospora* 886  
   *mesenterica* 886  
   *repanda* 881  
*Tricharina*  
   *mikolae* 777  
   *praecox* var. *intermedia* 772, 774, 776, 778  
*Trichoderma* 667  
   *hamatum* 119  
   *koningii* 119-120  
   sp. 707  
   spp. 123-124  
*Tricholoma*  
   *caligatum* 939  
   *fucatum* 421  
   *inamoenum* 965-966  
   *josserandii* 419  
   *luteomaculosum* 418, 421, 422-423f, 424-425  
   *marquettense* 418, 419, 420f, 423f  
   *matsutake* 939  
   *niveipes* 419  
   *olivaceobrunneum* 419, 420f, 421, 423f  
   *portentosum* 421  
   *robustum* 939  
   sect. *Tricholoma* 418-425  
   *subaureum* 422-423f, 424, 425  
   subg. *Tricholoma* 418-425  
   *virgatum* 419  
*Tricholomopsis*  
   *radicata* 527  
*Trichophaea*  
   *abundans* 772, 775, 777-778  
   *hemisphaerioides* 772, 775, 777-778  
*Trichophyton* 688  
*Trichosporon* 470  
   *cutaneum* 469-470  
*Trichozygospora*  
   *chironomidarum* 221  
*Trimmatostroma*  
   *betulinum* 86  
   *undulatum* 86, 87f, 89f  
*Tripaspermum*  
   *myrtil* 118, 120  
*Tylopilus* 22, 24-25  
   *ferrugineus* 27, 29  
   *ferrugineus* subsp. *vinaceogriseus* 30f, 31  
   *isabellascens* 25  
   *peralbidus* 25  
   *plumbeoviolaceus* 25  
   *subunicolor* 29, 30f  
*Ulocolla*  
   *repanda* 881  
*Uloporus*  
   *placidus* 328  
*Uredo*  
   *eulophiae* 582f, 583  
   *kyllingae-erectae* 581f, 582  
   *lindackeriae* 583  
*Uromyces*  
   *appendiculatus* var. *appendiculatus* 585  
   *eulophiae* 584  
   *scleriae* 582  
   *vignae* 585  
*Ventrographium* 494  
   *nervicolum* 494, 495f  
*Venturia*  
   *inaequalis* 209  
*Verticicladiella* 301-302  
   *procera* 301-302  
   *wageneri* 562-567  
   *wageneri* var. *ponderosa* 564f, 566  
   *wageneri* var. *wageneri* 563, 564f  
*Verticillium*  
   *dahliae* 100, 684  
   *lecanii* 119  
   *psalliotae* 119  
   sp. 119  
   spp. 120, 122-124  
*Viscipellis*  
   *luteus* 327  
*Wangiella*  
   *dermatitidis* 853-856, 854f  
*Warcupella*  
   *spinulosa* 871  
*Woronina*  
   *pythii* 239, 511-512, 511-512f

Xerocomus  
  lenticolor 331  
Xylaria 391  
  anisopleura 397  
  aurantiaca 941-942  
  castorea 391  
  curta 399  
  grandis 396f, 398f, 399  
  longipes 391, 397, 399  
  mali 399  
  polymorpha 391-400, 393f, 396f  
  schweinitzii 391, 395, 396f, 400  
  scruposa 391, 396f, 397, 398f, 399

Xylogone  
  sphaerospora 971  
Zaghouania  
  phillyreae 260  
Zalerion 500  
Zoophagus  
  insidians 559  
Zukalina 871  
Zygopolaris  
  borealis 221  
  ephemeridarum 221  
  spp. 221

# HOST INDEX

The Host Index includes familial or generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

- Abies  
  Armillaria sp. 838  
  Cystostereum pini-canadense ssp. pini-canadense 384-385  
  Ganoderma tsugae 696  
  Hypsizygus tessellatus 526  
  Lentinus adhaerens 297  
Acer  
  Acremonium bacillisporum 119  
  sp. 119  
  Alternaria alternata 118  
  Armillaria sp. 838  
  Asteromella sp. 118  
  Aureobasidium pullulans 118  
  Cladosporium cladosporioides 118  
  Clastoderma debaryanum 263  
  Coniothyrium fuckelii 118  
  Cylindrocladium sp. 119  
  Cylindrosporella sp. 118  
  Cystostereum pini-canadense ssp. pini-canadense 384  
  pini-canadense ssp. subabrupta 385  
  Discula sp. 119  
  Epicoccum purpurascens 118  
  Fusarium sp. 119  
  Ganoderma lucidum 696  
  Gliocladium roseum 119  
  Hainesia lythri 119  
  Helicoma monilipes 756  
  repens 753  
  Hypsizygus tessellatus 526  
  ulmarius 526  
  Mettarrhizium anisopliae 119  
  Mortierella isabellina 119  
  sp. 119  
  Paecilomyces carneus 119  
  farinosus 119  
  marquandii 119  
  Penicillium brevi-compactum 118  
  citrinum 119  
  frequentans 118  
  granulatum 119  
  herquii 119  
  implicatum 119  
  lividum 119  
  multicolor 119  
  thomii 118  
  Phoma cava 118  
  exigua 118  
  sp. 118  
  Trichoderma hamatum 119  
  koningii 119  
  Verticillium lecanii 119  
  psalliotae 119  
  sp. 119  
  Xylaria polymorpha 394  
Aesculus  
  Uncinula flexuosa 322  
Albizia  
  Ravenelia zygiae 583  
Alchornea  
  Skierka congensis 583  
Allium  
  Fusarium proliferum 245  
Alnus  
  Cystostereum pini-canadense ssp. subabrupta 385  
Ameroseius  
  Thaxteriola spp. 606  
Amitermes  
  Laboulbenia ghanaensis 144-145  
Ampelanus  
  Cercospora gonoboli 323  
Amphicarpa  
  Synchytrium decipiens 322  
Anacanthotermes  
  Laboulbenia felcis-caprae 145  
Anopheles  
  Smittium morbosum 222  
Aphodius  
  Thaxteriola subhyalina 606  
Aplanopsis  
  Olpidiopsis varians 11, 234, 359  
Apocynaceae



- Hymenopeltis major* 278  
*Plectopycnis apocynacearum* 283  
**Arbutus**  
*Elsinoe mattirolanum* 507  
**Asparagus**  
*Glomus fasciculatum* 32-35  
*macrocarpum* 32-35  
*mosseae* 32-35  
**Aspilina**  
*Puccinia aspilinae-latifolia* 579  
**Asteridiella**  
*Spiropes capensis* 269  
*guareicola* 270  
**Asterostomella**  
*Phaeodimeriella guarapiense* 271  
**Astrocaryum**  
*Acrotheca* sp. 269  
*Cryptophiale minor* 269  
*Grallomyces portoricensis* 269  
*Peziotrichum lachnella* 269  
*Spiropes palmetto* 270  
  
**Bambusa**  
*Hobsonia gigaspora* 842  
**Bauhinia**  
*Elachopeltis bauhiniae* 276  
**Belonuchus**  
*Thaxteriella infusca* 606  
**Betula**  
*Cystostereum pini-canadense* ssp. *pini-canadense* 384  
*Exidia repanda* 877, 881, 883  
*Hypsizygus tessellatus* 526  
*Xylaria polymorpha* 394  
**Bignoniaceae**  
*Plectopycnis bignoneacearum* 283  
*Plenotrichia bignoniacearum* 284  
**Boletus**  
*Syzygites megalocarpus* 322  
**Brassia**  
*Hobsonia mirabilis* 842  
**Brevoortia**  
*Aphanomyces* 664  
*Saprolegnia* 664  
  
**Camellia**  
*Pestalotia guepini* 673  
**Camponotus**  
*Desmidiospora myrmecophila* 865  
**Cana**  
*Puccinia thaliae* 577  
**Carya**  
*Helicoma tenuifilum* 753  
**Casearia**  
*Merismella concinna* 280  
*oligomera* 280  
**Castanea**  
*Cryphonectria parasitica* 349  
**Casuarina**  
*Pestalotia* sp. 673  
**Cerasus**  
*Requienella lichenopsis* 40  
**Cercidium**  
*Ganoderma lucidum* 696  
*Cercyon*  
  
*Entomocosma laboulbenioides* 606  
**Choanephora**  
*Piptoccephalis virginiana* 157-162  
**Cinnamomum**  
*Clastoderma debaryanum* 263  
*Elachopeltis cinnamomeae* 276  
**Cirsosia**  
*Spiropes effusus* 270  
**Citrus**  
*Phytophthora parasitica* 148  
*Xylaria polymorpha* 394, 395  
**Claytonia**  
*Aecidium claytonianum* 128  
sp. 127-128  
*Puccinia claytoniae* 127-128  
*mariae-wilsoniae* 128  
**Clethra**  
*Elsinoe clethrae* 507  
**Clivina**  
*Amphoropsis media* 606  
**Coccoloba**  
*Plectopycnis coccolobae* 283  
**Cocos**  
*Helicoma palmigenum* 757  
*Phytophthora palmivora* 356  
**Coffea**  
*Hemileia vastatrix* 585  
**Collomia**  
*Puccinia giliae* 461  
*plumbaria* 456, 459  
**Collybia**  
*Christiansenia effibulata* 619  
*mycetophila* 619  
*tumefaciens* 619  
*Syzygospora effibulata* 628  
*mycetophila* 625, 629  
*norvegica* 630  
*tumefaciens* 634  
**Combretum**  
*Cerotelium combreti* 577  
**Convolvulus**  
*Pseudotaeniolina convolvuli* 90  
**Copaifera**  
*Pestalotia longisetula* 673-675  
*microspora* 673-675  
*subcuticularis* 673-675  
**Coriolus**  
*Beauveria bassiana* 323  
*Eleutheromyces mycophila* 323  
*Hansfordia ovalispora* 323  
*Hypocrea nebulosa* 322  
*Melanospora damnosa* 322  
*Scopinella* sp. 322  
**Crepidotus**  
*Hypomyces tremelicola* 322  
**Cucumis**  
*Phytophthora cryptogea* 907  
*drechsleri* 907  
*melonis* 907, 907  
*sinensis* 907  
**Cupressus**  
*Pestalotia* sp. 673  
**Cymbidium**  
*Fusarium proliferum* 245

- Dactylis  
Puccinia graminis 323
- Daedalea  
Stilbella sp. 323
- Dendrolaelaps  
Acariniola basalipunctata 606  
subbasalipunctata 606  
Thaxteriola moseri 606  
spp. 606
- Diochus  
Amphoromorpha entomophila 606
- Diodia  
Elachopeltis intermedia 274
- Diopsis  
Endosporella diopsidis 606
- Distyla  
Sommerstorffia spinosa 554
- Doliocarpus  
Asterostomella dilleniicola 271
- Ductifera  
Acremonium butyri 323  
Gliocladium sp. 323  
Paecilomyces elegans 323  
Stilbella sp. 323
- Echiaster  
Amphoropsis subminuta 606
- Eclipta  
Puccinia ecliptae 583
- Elaeis  
Helicoma muelleri 747
- Eparchus  
Dimeromyces eparchi 403
- Eriastrum  
Puccinia giliae 461
- Erythrina  
Phakopsora pachyrhiza 585
- Erythroxylaceae  
Hymeniopeltis erythroxyli 278
- Eschweilera  
Elachopeltis eschweilerae 276
- Esenbeckia  
Elachopeltis esenbeckiae 277
- Eucalyptus  
Cryphonectria cubensis 343-349  
Endothia havanensis 349  
Helicoma olivaceum 756
- Eulophia  
Puccinia humationis 584  
Uredo eulophiae 584  
Uromyces eulophiae 584
- Euphorbiaceae  
Asterostomella acalyphae 271
- Euterpe  
Helicoma reseolum 758
- Fagus  
Hypsizygus tessellatus 526  
Lentinus adhaerens 296-297  
Xylaria polymorpha 394  
scruposa 399
- Festuca  
Acremonium coenophialum 102-107, 781  
loliae 102-107  
sp. 102-107
- Ficus  
Cerotelium fici 583  
Helicominopsis fici 500
- Flacoutia  
Elachopeltis phoebes var. minor 276
- Formica  
Laboulbenia formicarum 865
- Fragaria  
Phytophthora fragariae 356
- Fraxinus  
Armillaria sp. 838  
Lentinus adhaerens 297  
Requienella seminuda 40  
Xylaria polymorpha 394
- Gilia  
Puccinia fragilis var. douglasii 460  
giliae 461  
plumbaria 456
- Ginkgo  
Cladoderma debaryanum 263
- Glycine  
Corynespora cassicola 503-505  
Phialophora gregata 503-505  
Pseudorobillarda sojae 449
- Gossypium  
Acremonium sp. 707  
Alternaria alternata 707  
spp. 707  
Aspergillus elegans 707  
flavus 707  
fumigatus 707  
glauca 707  
niger 707  
ochraceus 707  
sydowi 707  
tamarii 707  
Aureobasidium pullulans 707  
Cladosporium cladosporioides 707  
herbarum 707  
Colletotrichum gossypii 707  
Curvularia lumata 707  
Cylindrocarpum sp. 707  
Diplodia gossypina 707  
Drechslera spp. 707  
Epicoecum purpurascens 707  
Fusarium chlamydosporum 707  
equiseti 707  
moniliforme 707  
oxysporum 707  
pallidioroseum 707  
semitectum 707  
solani 707  
Geotrichum sp. 707  
Mucor spp. 707  
Nigrospora oryzae 707  
Olpitrichum sp. 707  
Papulospora sp. 707  
Penicillium spp. 707  
Pestalotia sp. 707  
Phoma sp. 707  
Pithomyces sp. 707

- Rhizoctonia sp. 707  
 Rhizopus spp. 707  
 Trichoderma sp. 707  
 Guttiferae  
   Trichopeltis pulchella 286  
 Hedera  
   Colletotrichum trichellum 323  
 Heterodera  
   Corynespora cassiicola 503-505  
   Phialophora gregata 503-505  
 Hevea  
   Phytophthora capsici 356  
 Hister  
   Amphoropsis minuta 606  
 Hymenaea  
   Pestalotia elaeidis 673-675  
   Pestalotia subcuticularia 673-675  
 Ipomaea  
   Puccinia crassipes 580  
 Juglans  
   Aspergillus flavus 956  
   Ceratocystis sp. 322  
   Helicoma morgani 753  
   Marssonina juglandis 323  
   Trichothecium roseum 323  
 Juniperus  
   Glomus fasciculatum 108-112  
   mosseae 109  
   Protosporangium conicum 857  
 Kyllinga  
   Puccinia mesobulbosae 580  
   Uredo kyllingae-erectae 582  
 Labia  
   Amphoromorpha entomophila 606  
   Thaxteriola infusca 606  
 Laboulbenia  
   Amphoromorpha spp. 606  
 Larix  
   Cystostereum pini-canadense ssp. pini-canadense  
   384-385  
 Lasioseius  
   Thaxteriola spp. 606  
 Ledum  
   Elsinoe ledi 507  
 Leguminosae  
   Elachopeltis amazonensis 276  
   Plenotrichia hileensis 284  
 Leptodactylon  
   Puccinia fragilis var. douglasii 460  
   giliicola 456  
   yosemitana 465  
 Leugogyrophana  
   Ceratobasidium mycophagum 634  
 Linanthastrum  
   Puccinia fragilis var. fragilis 460  
 Linanthus  
   Puccinia giliae 461  
   plumbaria 456  
 Lindackeria  
   Uredo lindackeriae 583  
 Lithocarpus  
   Cystostereum pini-canadense ssp. subabrupta 385  
 Loeselia  
   Puccinia fumosa 463  
 Lycopersicon  
   Glomus fasciculatum 32-35  
   macrocarpum 32-35  
   mosseae 32-35  
 Lythrum  
   Semimorula liquescens 146  
 Machaerina  
   Helicoma machaerinae 755  
 Macroscytus  
   Majewskia japonica 289  
 Macrotermes  
   Laboulbenia brignolii 142  
 Magnolia  
   Helicoma phaeosporium 757  
 Malpighiaceae  
   Asterostomella banisteriae 271  
 Malus  
   Monilinia fructigena 913  
   Xylaria polymorpha 395  
 Marasmius  
   Syzygospora marasmoidea 628  
   solida 632  
   subsolida 633  
 Medicago  
   Phytophthora megasperma 306  
   Pseudopeziza trifolii f. sp. medicaginis-sa 529  
   Rhizoctonia solani 587-588  
 Megachile  
   Betsia alvei 676  
   Microascus exsertus 676  
 Melastomataceae  
   Elachopeltis miconiae 277  
   Plenotrichia laxus 284  
 Melilotus  
   Pseudopeziza trifolii f. sp. medicaginis-sativae 529  
 Meliola  
   Ectosticta sp. 270  
   Spiropes clavatus 270  
   dialii 270  
 Metatrichia  
   Blistum tomentosum 323  
 Microsteris  
   Puccinia plumbaria 456  
 Monostyla  
   Sommerstorffia spinosa 554  
 Moraceae  
   Hymeniopeltis brosimi 278  
 Morella  
   Mycosteria ellipsoideispora 281  
 Morus  
   Cercospora maculans 323  
 Mycotypha  
   Piptocephalis virginiana 161  
 Myrtaceae  
   Hansfordiopeltis ocoteae 274  
   Plenotrichia densus 284  
 Navarretia  
   Puccinia giliae 461

- plumbaria 456
- Nictelia
  - Spiropes effusus 270
- Nyssa
  - Requienella seminuda 40
- Ocotea
  - Elachopeltis dominguensis 276
- Odontotermitis
  - Laboulbenia geminata 145
- Olea
  - Cystospora oleae 260
  - Requienella seminuda 40
- Ophiulius
  - Amphoromorpha spp. 606
- Oriza
  - Fusarium proliferum 245
- Ostrya
  - Pleurotus similis 527
- Parthenocissus
  - Phyllosticta ampelica 323
- Pedicularis
  - Cronartium ribicola 637
- Pennisetum
  - Fusarium moniliforme 242, 245
- Persea
  - Phytophthora cinnamoni 356
- Phanerochaete
  - Syzygospora pallida 625, 631
- Phaseolus
  - Fusarium nygamai 223
  - Rhizoctonia solani 589
  - Uromyces appendiculatus var. appendicul 585
- Philonthus
  - Thaxteriola infusata 606
- Phlox
  - Puccinia douglasii var. douglasii 465
  - douglasii var. hoodii 467
  - fragilis var. divaricatas 461
  - fragilis var. fragilis 460
  - plumbaria 454, 456, 459
- Phoebe
  - Elachopeltis phoebes 276
  - Merismella gracilenta 280
  - proxima 280
  - Plectopeltis agenula 283
- Picea
  - Cystostereum pini-canadense ssp. pini-canadense 384-385
  - Ganoderma tsugae 696
  - Lentinus adhaerens 297
  - kauffmanii 296
- Pinus
  - Ceratocystis wagenieri 562
  - Cronartium rigicola 637
  - Cystostereum pini-canadense ssp. pini-canadense 384
  - Lentinus adhaerens 297
  - Peridermium yamabense 638
  - Pestalotiopsis foedans 673
  - Sphaeropsis sapinea 960-962
  - Verticicladiella procera 301
  - wagenieri 562
- wagenieri var. ponderosa 565
- wagenieri var. wagenieri 565
- Plantanus
  - Helicoma perelegans 753
- Polemonium
  - Puccinia gulosa 456
  - polemonii 455
- Populus
  - Articulospora acuminata 926-927
  - inflata 926
  - Clavariopsis aquatica 926
  - Cystostereum pini-canadense ssp. pini-canadense 384-385
  - Flagellospora annelidica 926
  - curvula 926-927
  - Helicoma monilipes 756
  - morgani 753
  - taenia 749
  - violaceum 753
  - Heliscus lugdunensis 925-927
  - Hypsizygus tessellatus 526
  - ulmarius 526
  - Lemonnieria aquatica 926
  - Mycosphaerella populorum 202
  - Septoria musiva 202
  - Tetracladium marchalianum 925-927
- Poraqueiba
  - Elachopeltis poraqueibae 277
- Proctolaelaps
  - Acariniola basalipunctata 606
  - subbasalipunctata 606
  - Thaxteriola moseri 606
- Protium
  - Elachopeltis proticola 277
- Prunellus
  - Ramularia brunellae 323
- Prunus
  - Caeoma makinoi 253-261
  - Helicoma olivaceum 756
  - Requienella lichenopsis 40
- Pseudococcus
  - Aspergillus parasiticus 956
- Pseudotsuga
  - Pachnocybe ferruginea 334
  - Verticicladiella 562
  - wagenieri var. ponderosa 565
- Pygmephorus
  - Acariniola subbasalipunctata 606
- Pyrus
  - Monilinia fructigena 915
  - Mucor piriformis 766
- Quercus
  - Alatospora acuminata 923
  - Armillaria bulbosa 471
  - Articulospora inflata 923
  - Clavariopsis aquatica 923
  - Filosporella annelidica 923
  - Flagellospora curvula 923-927
  - Ganoderma lucidum 696
  - Helicoma monilipes 756
  - muelleri 747
  - Heliscus lugdunensis 923
  - Lemonnieria aquatica 923

- Requierella seminuda 40  
 Taphrina caerulescens 322  
 Tetracledium marchalianum 923
- Rhizophora  
   Lophiostoma mangrovius 485-489
- Rhododendron  
   Phytophthora parasitica 148
- Ribes  
   Requierella seminuda 40
- Robinia  
   Perenniporia robiniphila 323  
   Xylaria polymorpha 395
- Roystonea  
   Helicoma palmigenum 757
- Rubiaceae  
   Elachopeltis intermedia 277
- Sapindaceae  
   Merismella amazonensis 278, 280
- Sassafras  
   Xylaria polymorpha 395
- Scleria  
   Uromyces scleriae 583
- Scolopendra  
   Myriapodophila argentinensis 606
- Selaginella  
   Nigrospora sphaerica 269  
   Periconia minutissima 269  
   Phyllosticta sp. 270  
   Septoria sp. 270
- Sequoia  
   Cystostereum pini-canadense ssp. subabrupta 385
- Simulium  
   Harpellales 214-222
- Smilax  
   Blastospora itoana 260  
   smilacis 253-261
- Solanum  
   Phytophthora infestans 356  
   Verticillium dahliae 684
- Sorghum  
   Fusarium moniliforme 242, 245  
   nygamai 223  
   subglutinans 245  
   Glomus fasciculatum 32-35  
   macrocarpum 32-35  
   mosseae 32-35
- Spaniocelyphus  
   Laboulbenia admirabilis 402
- Staphylea  
   Helminthosporium velutinum 323
- Stereum  
   Gliocladium penicilloides 323
- Swartzia  
   Plenotrichia swartziae 284
- Syzygium  
   Endothia eugeniae 343-349
- Tabebuia  
   Prospodium bicolor 795-802
- Tagetes  
   Glomus fasciculatum 32-35  
   macrocarpum 32-35
- mosseae 32-35
- Tarsonemus  
   Thaxteriola sp. 607
- Theobroma  
   Phytophthora capsici 351  
   citrophthora 351  
   palmivora 351  
   spp. 351-357
- Thuja  
   Cystostereum pini-canadense ssp. pini-canadense 384-385  
   Mycena thujina 522
- Trichaptum  
   Conidiobolus sp. 322  
   Gliocladium viride 323  
   Helminthophora sphaerocephala 323  
   Phaeocalcium polyporeum 322  
   Stilbella sp. 323
- Trichouropoda  
   Acariniola subbasalipunctata 606  
   Thaxteriola moseri 606
- Trifolium  
   Glomus fasciculatum 32-35  
   macrocarpum 32-35  
   mosseae 32-35  
   Pseudopeziza trifolii f. sp. medicaginis-sa 529
- Triticum  
   Fusarium anthrophitum 245
- Tsuga  
   Cystostereum pini-canadense ssp. pini-canadense 384-385  
   Ganoderma tsugae 696  
   Lentinus adhaerens 296-297  
   Verticillidiella wagneri var. ponderosa 565  
   wagneri var. wagneri 565
- Ulmus  
   Hypsizygus tessellatus 526  
   ulmarius 526  
   Xylaria polymorpha 395
- Uloma  
   Dimeromyces flabellatus 404
- Urobovella  
   Thaxteriola moseri 606  
   spp. 606
- Ustilina  
   Acanthostigmella brevispina 322  
   Allescheriella crocea 323  
   Haplotrichum ramosissimum 323  
   Lasiosphaeria hispida 322  
   Phaeoisaria clematidis 323
- Vaccinium  
   Elsinoe vaccinii 506-508
- Viburnum  
   Phyllosticta punctata 323
- Vigna  
   Uromyces vignae 585
- Vismia  
   Elachopeltis andina 276
- Vitex  
   Olivea scitula 585
- Vitis  
   Cribbraria confusa 322

*Xylaria polymorpha* 395

**Zea**

*Eupenicillium achrosalmoncum* 248-251

*Fusarium moniliforme* 242, 245

subglutinans 242, 245

*Helicomyces mirabilis* 842





# **Mycologia**

OFFICIAL PUBLICATION OF THE MYCOLOGICAL SOCIETY OF AMERICA

**VOLUME 78, 1986**

CONSISTING OF 1012 PAGES,  
INCLUDING FIGURES

# MYCOLOGIA

## TABLE OF CONTENTS

No. 1 January-February 1986

Issued 14 February 1986

From taxonomy to biochemistry; odyssey of a myxomycetologist

1 H. C. Aldrich

Ultrastructure of mitosis in the endoparasite *Olpidiopsis varians*

11 R. W. Martin, Jr. and C. E. Miller

Type studies in *Tylophilus*. III. Taxa described by Walter H. Snell, Esther A. Dick, and co-workers

22 C. B. Wolfe, Jr.

The influence of host plant on production and colonization ability of vesicular-arbuscular mycorrhizal spores

32 B. A. Daniels Hetrick and J. Bloom

Requienellaceae, a new family of Loculoascomycetes

37 J. Boise

Morphology and development of calcium oxalate deposits in *Gilbertella persicaria* (Mucorales)

42 K. D. Whitney and H. J. Arnott

Regulation of cellulolytic activity in the white-rot fungus *Ischnoderma resinosum*

52 J. B. Sutherland

Distribution of dictyostelid cellular slime molds in forest soils of India

56 J. C. Cavender and T. N. Lakhanpal

Notes on Colorado fungi V: *Physarum alpestre*, a new species

66 D. H. Mitchell, S. W. Chapman, and M. L. Farr

Notes on *Lactarius* in the high-elevation forests of the southern Appalachians

70 G. F. Bills

Distribution of *Lactarius* in the high-elevation forests of the southern Appalachians

80 G. F. Bills

Revision of *Torula* and *Hormiscium* species. New names for *Hormiscium undulatum*, *Torula equina*, and *Torula convolvuli*

86 J. L. Crane and J. D. Schoknecht

Studies in the lichen family Physciaceae. VII. The new genus *Physciella*

92 T. L. Esslinger

Heterokaryon incompatibility in *Aspergillus flavus*

98 K. E. Papa

Endophyte-host associations in forage grasses. IV. The endophyte of *Festuca versuta*

102 J. F. White, Jr. and G. T. Cole

The mycorrhizae of *Juniperus osteosperma*: identity of the vesicular-arbuscular mycorrhizal symbiont, and resynthesis of VA mycorrhizae

108 R. J. Reinsvold and F. B. Reeves

Microfungal populations associated with the decomposition of sugar maple leaf litter

114 G. A. Kuter

### Brief Articles

*Puccinia claytoniae*

127 J. A. Parmelee

Early starch catabolism by *Rhizomucor pusillus*

129 P. R. Adams and J. J. Deploey

A new species of *Alboleptonia* from Scotland

132 D. L. Largent and R. Watling

Chemical regulation of mating type in *Phytophthora parasitica*

134 W. H. Ko, C. J. Lee, and H. J. Su

A new species of *Nolanea* with quadrate basidiospores

136 D. L. Largent and O. K. Miller, Jr.

Pure culture synthesis of *Pinus resinosa* ectomycorrhizae with *Scleroderma aurantium*

139 D. L. Richter and J. N. Bruhn

New species of *Laboulbenia* from termite hosts in Africa

142 W. Rossi and M. Blackwell

The occurrence of synaptonemal complexes in the slime mold <i>Semimorula liquescens</i>	146	E. F. Haskins and M. D. McGuinness
Breaking winter dormancy of <i>Phytophthora parasitica</i> propagules using heat shock	148	A. Lutz and J. Menge
The new species <i>Dekkera abstinens</i> , teleomorph of <i>Brettanomyces abstinens</i>	150	F. L. Lee and S. C. Jong
Financial Report	152	
Instructions to Authors	153	

No. 2 March–April 1986

Issued 15 April 1986

Proteinase, chitinase, and chitosanase activities in germinating spores of <i>Piptocephalis virginiana</i>	157	R. Balasubramanian and M. S. Manocha
The effects of soil texture on extraction of vesicular-arbuscular mycorrhizal fungal spores from arid sites	164	D. C. Ianson and M. F. Allen
The taxonomic potential of laccase and tyrosinase spot tests	169	C. D. Marr, D. W. Grund, and K. A. Harrison
Basidiosporogenesis in <i>Boletus rubinellus</i> . II. Late spore development	185	K. S. Yoon and D. J. McLaughlin
A new species of <i>Ascodesmis</i> from Alberta	198	R. Currah
Ultrastructure of the ascocarps, asci, and ascospores of <i>Mycosphaerella populorum</i>	202	K. A. Niyo, H. S. McNabb, Jr., and L. H. Tiffany
A previously undescribed stage in the life cycle of Harpellales (Trichomycetes)	213	S. T. Moss and E. Descals
Characterization and distribution of <i>Fusarium nygamai</i> , sp. nov.	223	L. W. Burgess and D. Trimboli
Ultrastructure of zoosporogenesis in the endoparasite <i>Olpidiopsis varians</i>	230	R. W. Martin, Jr. and C. E. Miller
Moniliformin production in <i>Fusarium</i> Section <i>Liseola</i>	242	W. F. O. Marasas, P. G. Thiel, C. J. Rabie, P. E. Nelson, and T. A. Toussoun
Ripening of <i>Eupenicillium ochrosalmoneum</i> ascostromata on soil	248	B. W. Horn and D. T. Wicklow
<i>Blastospora smilacis</i> , a teleomorph of <i>Caeoma makinoi</i> , and its sorus development	253	Y. Ono, M. Kakishima, A. Kudo, and S. Sato
Observations on the "peridial platelets" of <i>Clastoderma debaryanum</i>	263	L. Frederick, I. L. Roth, and L. Pendergrass
Amazonian foliicolous fungi. II. Deuteromycotina	269	M. L. Farr
James W. Sinden Scholarship	286	
<b>Brief Articles</b>		
Intragenic effect of killer toxin produced by <i>Cryptococcus laurentii</i>	287	K. J. Kwon-Chung and C. K. Kennedy
On a new genus of the Laboulbeniales: <i>Majewskia</i>	289	Y.-B. Lee and K. Sugiyama
Sporulation of <i>Endogone pisiformis</i> in axenic and monoxenic culture	292	S. M. Berch and M. A. Castellano
<i>Lentinus adhaerens</i> , a species new to North America	296	A. E. Bessette and R. L. Homola

Screening for fungal lipase using chromogenic lipid substrates

298 H. H. Yeoh, F. M. Wong, and G. Lim

Qualitative determination of cellulose in the cell walls of *Verticicladiella procera*

300 W. E. Horner, S. A. Alexander, and M. M. Julian

Cytochemical localization of protein using Kodavue® reagents

304 R. C. Evans and H. Stempin

Notes on the heterothallic behavior of *Phytophthora megasperma* from alfalfa

306 H. H. Ho

Ultrastructure of *Stylopaga rhabdospora*, an amoeba-capturing zoopagaceous fungus

309 M. Saito

An ultrastructural study of membrane-bounded particles within hypovirulent strains of *Endothia* (*Cryphonectria*) *parasitica*

313 J. T. Ellzey, T. L. Hammons, and M. O. Cooper

The influence of soil depth on mycorrhizal colonization of forbs in the tallgrass prairie

316 J. M. Zajicek, B. A. D. Hetrick, and C. E. Owensby

The 1981 Indiana foray

321 W. B. Cooke

No. 3 May-June 1986

Issued 16 June 1986

Typification and nomenclature of selected *Suillus* species

325 M. E. Palm and E. L. Stewart

Morphology and taxonomy of *Pachnocybe ferruginea*

334 B. R. Kropp and M. E. Corden

The conspecificity of *Cryphonectria cubensis* and *Endothia eugeniae*

343 C. S. Hodges, Jr., A. C. Alfenas, and F. A. Ferreira

Comparisons of single-oospore isolates of *Phytophthora* species from naturally infected cocoa pods in Brazil

351 M. K. Kellam and G. A. Zentmyer

Ultrastructure of sexual reproduction in *Olpidiopsis varians*

359 R. W. Martin, Jr. and C. E. Miller

Formation and discharge of secondary sporidia of the bunt fungus, *Tilletia foetida*

371 B. J. Goates and J. A. Hoffmann

The *Cystostereum pini-canadense* complex in North America

380 G. P. Chamuris

*Xylaria polymorpha* and its allies in continental United States

391 J. D. Rogers and B. E. Callan

Three new species of Laboulbeniales (Ascomycetes) from Malaysia

401 Y.-B. Lee and T. Majewski

Septal structures in apothecial tissues of the tribe Aleuriaceae in the Pyrenomataceae (Pezizales, Ascomycetes)

407 J. W. Kimbrough and K. J. Curry

Three new species of *Tricholoma* with a description of *Tricholoma luteomaculosum*

418 C. L. Overhol

Stimulation of germination of spores of *Glomus versiforme* by spore-associated bacteria

426 K. Mayo, R. E. Davis, and J. Motta

Corticolous Myxomycetes. IX. Two species of *Arcyria*, one new, one old

432 H. W. Keller, K. D. Whitney, and M. J. Buben-Zurey

*Allochytridium expansum* rediscovered: morphology, physiology and zoospore ultrastructure

439 D. J. S. Barr

*Pseudorobillarda sojae*, a new pycnidial coelomycete from soybean stems

449 F. A. Uecker and M. M. Kulik

The autoecious species of *Puccinia* on Polemoniaceae in North America

454 J. A. Parmelee

## Brief Articles

- Involvement of *Trichosporon cutaneum* in biofouling of an organic acid recovery system  
469 A. J. Meyers, Jr.
- A note on *Armillaria mellea* and *Armillaria bulbosa* from the middle Atlantic states  
471 J. J. Motta and K. Korhonen
- Aspergillus sepultus*, a new species in the *Aspergillus ochraceus* group  
475 D. E. Tuthill and M. Christensen
- Axenic culture of the myxomycete *Stemonitis flavogenita*  
478 F.-S. Hu and J. Clark
- Effect of essential oils on spore germination of *Rhizopus*, *Mucor* and *Aspergillus* species  
482 D. P. Thompson
- Lophiostoma mangrovis*, a new marine ascomycete from the tropics  
485 J. Kohlmeyer and B. P. R. Vittal
- Aspects of cellulin deposition and chitin biosynthesis in the Leptomitaceae  
489 H. E. Huizar and J. M. Aronson
- Two new synnematus Hyphomycete genera from Brazil  
493 H. P. Upadhyay, W. A. Cavalcanti, and A. A. Silva
- Goosiella*, a new pteridicolous, helicosporous Hyphomycete genus from Madhya Pradesh, India  
496 G. Morgan-Jones, Kamal, and R. K. Verma
- Cellular slime molds in forest soils of southwestern Virginia  
500 J. C. Landolt and S. L. Stephenson
- Isolation of the soybean pathogens *Corynespora cassicola* and *Phialophora gregata* from cysts of *Heterodera glycines* in Illinois  
503 L. M. Carris, D. A. Glawe, and L. E. Gray
- Hawaiian forest fungi. VII. A new species of *Elsinoe* on native *Vaccinium*  
506 D. E. Gardner and C. S. Hodges, Jr.
- Species and varieties in the *Rhizopus microsporus* group as indicated by their DNA complementarity  
508 J. J. Ellis
- Karyotypic analysis of *Woronina pythii*  
511 J. P. Braselton and D. P. Dylewski

No. 4 July–August 1986

Issued 15 August 1986

Daniel Elliot Stuntz, 1909–1983

- 515 J. F. Ammirati and S. Libonati-Barnes
- Mycological observations 15–16: on *Omphalia* and *Pleurotus*  
522 S. A. Redhead
- Ascoma morphology of *Pseudopeziza trifolii* forma specialis *medicaginis-sativae* (Dermateaceae) on alfalfa  
529 S. L. F. Meyer and E. S. Luttrell
- Ultrastructural observations on Endogonaceae (Zygomycetes): *Endogone pisiformis*  
543 J. L. Gibson, J. W. Kimbrough, and G. L. Benny
- Electron microscopy on *Sommerstorffia spinosa*, a watermold parasitic on rotifers  
554 M. Saikawa and J. Hoshino
- Varieties of *Verticicladiella wagneri*  
562 T. C. Harrington and F. W. Cobb, Jr.
- Utilization of nitrogen sources by *Gibberella zeae*  
568 J. F. Leslie
- A taxonomic survey of Nigerian rust fungi: Uredinales Nigerianensis. IV  
577 D. O. Eboh
- Basidiospore formation by *Ceratobasidium* sp. on agar  
587 J. Y. Uchida, M. Aragaki, and P. S. Yahata
- Ultrastructural studies of the conidial anamorphs of *Monascus*  
593 H.-C. Wong and C.-Y. Chien

- Achlya bispora*: a taxonomic reassessment of *Brevilegnia bispora*  
600 D. M. Langsam
- A new species of *Pyxidophora* and its *Thaxteriella* anamorph  
605 M. Blackwell, T. J. Perry, J. R. Bridges, and J. C. Moser
- Comparative ultrastructural observations of spore wall structure in six species of *Echinostelium* and three species of *Eumycetozoa*  
613 E. F. Haskins and M. D. McGuinness
- The genus *Syzygospora* (Heterobasidiomycetes: Syzygosporaceae)  
619 J. Ginns
- Cytology of an autoecious soft pine blister rust (*Peridermium yamabense*) in Japan  
637 Y. Hiratsuka
- Three new species of *Acaulospora* (Endogonaceae) from high aluminum, low pH soils in West Virginia  
641 J. B. Morton
- Calcium oxalate crystals and basidiocarp dehiscence in *Geastrum saccatum* (Gastromycetes)  
649 K. D. Whitney and H. J. Arnott
- A simplified branching assay for *Rhizoctonia solani*  
657 V. N. Armentrout, A. J. Downer, and S. T. Nameth
- Characterization of the *Aphanomyces* species involved with Ulcerative Mycosis (UM) in menhaden  
664 M. J. Dykstra, E. J. Noga, J. F. Levine, D. W. Moye, and J. H. Hawkins
- Brief Articles**
- The association of *Pestalotia* species with members of the leguminous tree genera *Hymenaea* and *Copaifera* in the neotropics  
673 S. P. Arrhenius and J. H. Langenheim
- Isozyme characterization of Ascosphaerales associated with bees. III. *Bettisia alvei*  
676 H. A. Maghrabi and L. P. Kish
- Fusarium polyphialidicum*, a new species from South Africa  
678 W. F. O. Marasas, P. E. Nelson, T. A. Toussoun, and P. S. van Wyk
- The association of *Thelephora terrestris* with *Arbutus* × *Andrachnoides*  
683 M. C. Heslin
- Estimation of United States and world distribution of *Talaromyces flavus*  
684 D. R. Fravel and P. B. Adams

No. 5 September–October 1986

Issued 15 October 1986

- Chester Wilson Emmons, 1900–1985  
687 R. Goos and K. J. Kwon-Chung
- Ian Axel Nannfeldt, 1904–1985  
692 L. Holm
- Cultural studies and genetics of sexuality of *Ganoderma lucidum* and *G. tsugae* in relation to the taxonomy of the *G. lucidum* complex  
694 J. E. Adaskaveg and R. L. Gilbertson
- Mycoflora of cotton seed from the southern United States: a three year study of distribution and frequency  
706 M. A. Klich
- Ultrastructure of sexual reproduction of *Monascus purpureus*  
713 H.-C. Wong and C.-Y. Chien
- Utilization of fatty acids by *Agaricus bisporus* in commercial culture  
722 R. B. Holtz and L. C. Schisler
- Spatial and temporal distribution of vesicular-arbuscular mycorrhizal fungi associated with *Uniola paniculata* in Florida foredunes  
728 D. M. Sylvia

- Septal structures in apothecial tissues of taxa in the tribes Scutellinieae and Sowerbyelleae (Pyrenomataceae, Pezizales, Ascomycetes)  
735 J. W. Kimbrough and K. J. Curry
- A review of the anamorph genus *Helicoma*  
744 R. D. Goos
- Hypha-spore attractions in *Schizophyllum commune*  
762 D. A. Voorhees and J. L. Peterson
- Mating types of *Mucor piriformis* isolated from soil and pear fruit in Oregon orchards (on the life history of *Mucor piriformis*)  
766 T. J. Michailides and R. A. Spotts
- Substrate hydrolysis patterns of post-fire Ascomycetes (Pezizales)  
771 K. N. Egger
- Nutritional requirements for growth of a fungus endophyte of tall fescue grass  
781 R. K. Kulkarni and B. D. Nielsen
- Effects of mountants and fixatives on wall structure and Melzer's reaction in spores of two *Acaulospora* species (Endogonaceae)  
787 J. B. Morton
- The life cycle, pathology, and taxonomy of the rust, *Prospodium bicolor* sp. nov., on yellow ipê, *Tabebuia serratifolia*, in Brazil  
795 F. A. Ferreira and J. F. Hennen
- Scanning electron microscopy of a true cellulolytic strain of *Aureobasidium* grown on crystalline cellulose  
804 A. Gilbón, C. Huitrón, F. González Farias, and M. Ulloa
- The zoospore and flagellar mastigonemes of *Lagenidium giganteum* (Oomycetes, Lagenidiales)  
810 A. Domnas, S. Jaronski, and W. K. Hanton
- Lectin binding characteristics of several entomogenous Hyphomycetes: possible relationship to insect hemagglutinins  
818 J. C. Pendland and D. G. Boucias
- Distribution patterns of Ohio soil dictyostelids in relation to physiography  
825 J. C. Cavender and C. Hopka
- Brief Articles**
- Glomus pansihalos*, a new species in the Endogonaceae, Zygomycetes  
832 S. M. Berch and R. E. Koske
- Biological species of *Armillaria* in North America: redesignation of groups IV and VIII and enumeration of voucher strains for other groups  
837 J. B. Anderson
- The occurrence of a hypogeous ascomycete in the northern Chihuahuan Desert  
840 J. C. Zak and W. G. Whitford
- Two new lichenicolous species of *Hobsonia*  
842 R. Lowen, B. L. Brady, D. L. Hawksworth, and R. R. M. Paterson
- Endophyte-host associations in forage grasses. V. Occurrence of fungal endophytes in certain species of *Bromus* and *Poa*  
846 J. F. White, Jr. and G. T. Cole
- A variant of *Lepiota cristata*  
851 M. M. Kyde and J. L. Peterson
- Localization of chitin in walls of *Wangiella dermatitidis* using colloidal gold-labeled chitinase  
853 J. L. Harris and P. J. Szaniszlo
- A new species of *Protosporangium* (Protozelida, Eumycetozoa)  
857 W. E. Bennett
- Hebeloma arenosa* (Agaricales, Cortinariaceae), a new species from lake states nurseries  
861 H. H. Burdsall, Jr., J. S. MacFall, and M. A. Albers
- Desmidiospora myrmecophila* found infesting the ant *Camponotus semitestaceus*  
865 W. H. Clark and D. C. Prusso
- A simplified assay for cryptococcal phenoloxidase  
867 J. C. Rhodes



**Monascella, a new genus of Ascomycota**

869 J. Guarro and J. A. von Arx

**Book Reviews**

872

No. 6 November–December 1986

Issued 30 December 1986

**Cultural study of *Exidia repanda*, previously unreported from Japan**

877 T. Aoki and K. Tubaki

**Two new lichen products, elatinic acid and methyl barbatate, from the lichen genus *Haematomma* (Ascomycotina, Haematommataceae)**

888 C. F. Culberson, W. L. Culberson, and A. Johnson

**Distribution of diaminobenzidine reaction products in zoospores of *Phytophthora palmivora***

892 M. J. Powell and C. E. Bracker

**A simple fluorescent staining method for meiotic chromosomes of *Neurospora***

901 N. B. Raju

***Phytophthora melonis* and *P. sinensis* synonymous with *P. drechsleri***

907 H. H. Ho

**A field record of apothecia of *Monilinia fructigena* in Japan and its significance**

913 L. R. Batra and Y. Harada

**Newly described hypogeous fungi and the mycorrhizae they form *in vitro*. I. *Martellia medlockii* sp. nov. (Russulaceae)**

918 J. M. Trappe and M. A. Castellano

**Aquatic hyphomycetes on oak leaves: comparison of growth, degradation and palatability**

922 S. K. Butler and K. Suberkropp

**Shiitake cultivation on sawdust: Evaluation of selected genotypes for biological efficiency and mushroom size**

929 D. A. Diehle and D. J. Royse

**A new inoperculate discomycete associated with roots of *Picea***

934 L. M. Kohn, R. Summerbell, and D. W. Malloch

**Ultrastructural observations on Endogonaceae (Zygomycetes). II. Glaziellales ord. nov. and Glaziellaceae fam. nov.: new taxa based upon light and electron microscopic observations of *Glaziella aurantiaca***

941 J. L. Gibson and J. W. Kimbrough, and G. L. Benny

**Brief Articles****DNA relatedness among wild and domesticated species in the *Aspergillus flavus* group**

955 C. P. Kurtzman, M. J. Smiley, C. J. Robnett, and D. T. Wicklow

**Ultrastructural aspects of the conidium cell wall of *Sphaeropsis sapinea***

960 C.-g. Wang, R. A. Blanchette, and M. A. Palmer

**Quantitative differences in nuclear-DNA content between *Armillaria mellea* and *Armillaria bulbosa***

963 J. J. Motta, D. C. Peabody, and R. B. Peabody

**The "coal tar" odor of *Tricholoma inamoenum***

965 R. L. Watson, D. L. Largent, and W. F. Wood

**Nuclear volumes and DNA content of three stages in the life cycle of *Armillaria bulbosa***

967 D. C. Peabody and R. B. Peabody

***Hormographis ramirezii*, a new keratinophilic fungus from Spanish soils**

969 J. Guarro, L. Punsola, and J. A. von Arx

**A new species of *Olpidium* parasitic in nematode eggs**

972 G. L. Barron and E. Szijarto

**Statement of Ownership**

976

**Book Reviews**

978

**Index**

985

